



# PREMIUM

**BUILD** FUNCTIONAL EXCELLENCE



**PREMIUM**  
**BUILD** FUNCTIONAL EXCELLENCE





Let us redefine your spaces,  
leaving a lasting impression  
that reflects the unrivaled  
quality and distinctiveness  
that define our brand.






**PREMIUM** focuses on delivering efficient and effective architectural solutions. Whether it's office partitions, full frame doors, flush doors, sliding doors, folding doors, closets or booths, our offerings are designed to optimize space utilization without compromising on style or functionality.

At **PREMIUM**, we believe that elegance, architectural innovation and environmental compatibility form the very essence of our brand identity. With a strong commitment to quality research, precision, and creativity, we are dedicated to crafting products that not only embody perfectionism but also radiate uniqueness in every setting.

Our humanitarian approach permeates everything we do, driving us to create solutions that enhance spaces with both functionality and luxury.

Immerse yourself in a world, where every detail exudes opulence and sophistication. Our manifold choices for interior design cater to discerning individuals.

From luxurious office spaces to elegant residential environments, our products transform any space into a realm of comfort and refined aesthetics.













<b>DOORS</b>	<b>12</b>
THERON	14
ADELA	24
OPUS	32
LIVIA	36
ALUNA	40
MATIC	44
MIRO	50
VERITAS	54
URANA	58
ZENO	64
THILLA	74

<b>OFFICE PARTITIONS</b>	<b>78</b>
ARIES	80
MODLES	92
MIERRE	98
ALLURE	106
ARCOS	128
CASSIA	136
MOVA	140

<b>SLIDING DOORS</b>	<b>144</b>
COSMO	150
HARMONY	162
MAGNA	172
SECRETA	180
SPETTRO	188
ALDO	192

<b>FOLDING DOORS</b>	<b>196</b>
VENTE	198



**BUILD**  
FUNCTIONAL  
EXCELLENCE



<b>CLOSETS</b>	<b>202</b>
GLINT	206
CLERO	210
GLOW	214
ZEPHYR	228
SIRO	236
AERIS	240
FINO	244
ALVI	248
LIORA	252
QUARO	256

<b>BOOTHS</b>	<b>260</b>
BT01	264
BT02	266
BT03-A	268
BT03-B	270
BT04	272
BT05-A	274
BT05-B	276
BT06	278
BT07	280

<b>MATERIALS INDEX</b>	<b>282</b>
<b>HARDWARE INDEX</b>	<b>286</b>





**DOORS**



**BUILD** FUNCTIONAL EXCELLENCE







# THERON

FLUSH DOOR

**THERON** flush door, featuring concealed hinges and customizable materials, represents the ideal solution for spaces with high aesthetic standards.

Crafted from sleek aluminum, this flat door seamlessly merges aesthetics with functionality.

Choose from a variety of cladding options including glass, wood, ceramic, and synthetic eather, in a variety of thicknesses reaching up to 5mm.





FLUSH DOOR **THERON**



Transform your space by integrating also the **THERON** matching aluminum nesting board, which features an integrated LED light socket for atmospheric ambiance.







FLUSH DOOR THERON





















## TYPES
















## DOOR CLOSER






## Door Detail


- 1  **FD09 - 1515 gr/m** | Frame
- 2  **FD10 - 1534 gr/m** | Door frame
- 3  **FD11 - 588 gr/m** | Brush profile
- 4  **FD-C01-KIT** | Lock cover
- 5  **GF01-03** | Concealed 3D Hinge + plates  
(FD09-03-SPH-KIT and  
FD10-03-SPH-KIT)
- 6  **FD09-KIT** | Corner
- 7  **F2-TZ-KIT** | Fixing plate
- 8  **DC03** | Concealed door closer + plates  
(FD09SP-DC03-KIT and  
FD10SP-DC03-KIT)
- 9  **F2EC** | End cap
- 10  **FD09-HP** | Hinge cover plate
- 11  **FD09-TOOL** | Installation tool
- 12  **DG04** | Rubber




**LOCK WITH CYLINDER**




**WC LOCK**



**LOCK WITH ELECTRIC STRIKE PLATE**



**WC LOCK WITH CYLINDER AND BUTTON**



**LH10 Lock + plates  
(FD10SPL and FD02SPL)**

For Door with ALU and MDF panels  
or WOODEN door  
Available only in BASIC colors: ABK, ANA, ADB, ACA, WT





# FLUSH DOOR **ADELA**

**ADELA** is a practical and minimal flush door designed with a maximum thickness of 55mm.

Featuring 3D hinges and full compatibility with door closers and drop seal functions, **ADELA** is the perfect addition to your space combining functionality with minimalistic style.






























## Door Detail


- 1  **FD01 - 1520 gr/m** | Frame
- 2  **FD02 - 1046 gr/m** | Door frame
- 3  **FD05 - 260 gr/m** | Door closer cover profile
- 4  **FD03 - 255 gr/m** | Brush profile + F1EC-1R+ F1EC-1L
- 5  **FD04 - 184 gr/m** | Drop seal profile + F1EC-2+F1EC-3
- 6  **FD-B01-KIT** | Lock cover
- 7  **GF01-02** | Concealed 3D Hinge
- 8  **FD01-KIT** | Corner
- 9  **FD02-KIT** | Corner
- 10  **F1-TZ-KIT** | Fixing plate
- 11  **DC03** | Concealed door closer + plates  
| (FD01SP-DC03-KIT and  
| FD02SP-DC03-KIT)
- 12  **WB01** | Drop seal
- 13  **GTF** | Rubber




**A** LOCK with CYLINDER




**B** WC LOCK



**C** LOCK with ELECTRIC STRIKE PLATE



**D** WC LOCK WITH CYLINDER AND BUTTON



**E** | LH10 Lock + plates  
| (DGP61-03-SPH, FD01-03-SPH and FD02SPL)

For Door with ALU and MDF panels  
or WOODEN door  
Available only in BASIC colors: ABK, ANA, ADB, ACA, WT








# OPUS




FLUSH DOOR

**OPUS** is a flush door with a concealed frame and has the capability of accommodating cladding up to 9.5mm thickness, allowing integration with various materials to meet any decorative requirement.


The door panel features a perimeter aluminum profile and is cladded with wooden MDF or other materials. The door operates with 3D concealed hinges or external hinges.


















DOUBLE DOOR TOP VIEW










## TYPES






1		FD20 - 1102 gr/m	Frame
2		FD21 - 665 gr/m	Frame
3		FD22-1 - 583 gr/m	Door frame
4		FD22-2 - 302 gr/m	Door cover profile
5		FD22-3 - 342 gr/m	Door cover profile
6		FD23 - 826 gr/m	Door frame
7		FD22-4 - 213 gr/m	Door cover profile
8		OP10 - 312 gr/m	Cover Frame
9		OP11 - 195 gr/m	Cover Frame
10		OP12 - 591 gr/m	Wall Frame
11		LH10	Lock with keys
12		GF01-03	Concealed 3D Hinge
13		SH66	Hinge
14		FD20SPL	Lock fixing plates
15		14.2x24.2	Frame corner

16		7.3x1.4	Frame corner
17		OP10-C	Cover frame corner
18		FD23-C	Door frame corner
19		FD22-1C	Door frame corner
20		FD20-TZ1-KIT	Wall fixing plate
21		FD20-TZ2-KIT	Wall fixing plate
22		FD20R	Rubber








FLUSH DOOR **LIVIA**



**LIVIA** is a wooden flush door characterized by its minimalistic design and equipped with 3D hinges and a drop seal function.

**LIVIA** is the ideal solution for residential projects, combining functionality with modern aesthetics.











## TYPES




## Door Detail

- 1  **FD12 - 850 gr/m** | Frame
- 2  **FD13 - 200 gr/m** | Door cover
- 3  **CH02-SSS** | Concealed 3D Hinge
- 4  **FD12-KIT** | Corner
- 5  **F1-TZ-KIT** | Fixing plate
- 6  **DG02** | Rubber



**A**

**LOCK WITH CYLINDER**



**B**

**LH10 LOCK**

Available only in BASIC colors: ABK, ANA, ADB, ACA, WT









# ALUNA

CONCEALED FRAME DOOR



**ALUNA** is a concealed frame door, boasting a slim profile of only 55mm.

Crafted with the high-quality GT24 door frame track, it features a pivot function for effortless operation. Easy to install and compatible with glass thickness ranging from 6mm to 8mm.











## TYPES





Door Detail


-  **1** **FD01 - 1520 gr/m** | Frame
-  **2** **GT24 - 1035 gr/m** | Door frame
-  **3** **GT34 - 1645 gr/m** | Door frame
-  **4** **GT14-B KIT** | Door pivot
-  **5** **FD01-KIT** | Corner
-  **6** **F1-TZ-KIT** | Fixing plate
-  **7** **FD01-SPL-KIT** | Support fitting
-  **8** **WB01** | Drop seal
-  **9** **GTF** | Rubber
-  **10** **S38** | Polycarbonate Gasket

-  **A** **LOCK WITH CYLINDER**
-  **B** **WC LOCK**
-  **C** **LOCK WITH ELECTRIC STRIKE PLATE**
-  **D** **HORIZONTAL MAGNETIC LOCK**
-  **E** **GT14-DL4 LOCK**  
Available only in BASIC colors: ABK, ANA, ADB, ACA, WT

ALUNA  
INDEX







# FULL FRAME DOOR **MATIC**





Renowned as the premier option in the category of full frame doors, **MATIC** offers a concealed pivot function, easy installation, an accommodating variety of glass thicknesses ranging from 6mm to 8mm, and magnetic locks for added convenience.

Elevate the ambience of your space to an unparalleled level of sophistication with **MATIC**.












## TYPES




## CROSS PROFILES OPTIONS











## Door Detail


- 


**1** GT11 - 817 gr/m | Frame
- 

**2** GT11B - 305 gr/m | Supporting Frame profile
- 




**3** GT14 - 894 gr/m | Door frame
- 

**4** GT14-B KIT | Door pivot
- 

**5** GT11 KIT | Corner
- 

**6** GTC | Rubber
- 

**7** S35 | Polycarbonate Gasket

- A**  LOCK WITH CYLINDER
- B**  HORIZONTAL MAGNETIC LOCK
- C**  GT14-DL4 Lock  
Available only in BASIC colors: ABK, ANA, ADB, ACA, WT








# MIRO

FULL FRAME DOOR

The **MIRO** full frame door offers a concealed pivot function for easy installation and is compatible with glass thicknesses ranging from 6mm to 8mm.















Additionally, it is available with a magnetic lock and boasts special profiles designed to effortlessly cover the thickness of the wall, ensuring a sleek and polished appearance.









-  **1** GT19 - 830 gr/m | Frame
-  **2** GT18 - 740 gr/m | Frame
-  **3** GT29-2 - 640 gr/m | Frame
-  **4** GT29-1 - 320 gr/m | Frame
-  **5** GT20-1 - 760 gr/m | Door frame
-  **6** GT20-2 - 450 gr/m | Door frame
-  **7** GT20-3 - 270 gr/m | Door cover
-  **8** GTO-1 | Rubber
-  **9** S39 | Rubber
-  **10** GT20-DL | Lock
-  **11** GGO-01 | Corner
-  **12** GGO-02 | Corner
-  **13** SCREW-01 | Screw for level
-  **14** TZ-01 | Fix connector

-  **15** GT20-SC | Screw
-  **16** GT20-KIT







# VERITAS

FULL FRAME DOOR




**VERITAS** is a full frame door and represents the lightest and easiest to install door in the **PREMIUM** series.

The visible door frame conceals imperfections around the wall opening with its sleek minimal design and the door panel is framed with a 16x45mm aluminium profile accommodating 8mm glass. The door functions with external hinges allowing the panel to open 180°.












#### TYPES





- |   |   |                  |              |
|---|---|------------------|--------------|
| 1 |    | GT53 - 1041 gr/m | Frame        |
| 2 |    | GT54 - 635 gr/m  | Door frame   |
| 3 |    | SH90             | Hinge        |
| 4 |  | 6.5XMG           | Frame rubber |
| 5 |  | 8.8x50.2         | Corner       |
| 6 |  | 4.3x40.9         | Corner       |
| 7 |  | GT54DL           | Lock         |








# PIVOT DOOR **URANA**

**URANA** is a stylish panel full frame door that effortlessly enhances your space. Its slim design and pivot mechanism ensure its smooth operation without requiring a perimeter aluminum frame on the wall.



Combining functionality with timeless elegance, it can be the perfect enhancement for your interior design.















## TYPES







**1**  **GT24 - 1035 gr/m** | Door frame

**2**  **GT34 - 1645 gr/m** | Door frame

**3**  **GT17-8 - 1103 gr/m** | Door frame

**4**  **ML01** | Pivot upper fitting


**5**  **GT34ML-KIT** | Pivot support fitting set

**6**  **DL24** | Lock

**7**  **DL24A** | Strike plate

**8**  **GT14SC** | Pin screw

**9**  **S38** | Polycarbonate Gasket

**10**  **BRUSH 6.8** | Brush 6.8 x 8

**11**  **HD** | Door handle

**A**  **FH30 bottom** | Pivot hinge

**B**  **Floor spring** | Pivot hinge









# FULL FRAME DOOR **ZENO**

Upgrade your space with **ZENO**, a door frame designed to be seamlessly integrated into walls up to 16cm in thickness.



**ZENO** offers versatility in design, with options for full frame pivoting, frameless hinging, or even a wooden coating featuring 3D hinge functionality.

Select from a variety of colors and glass or wood types to customize your door according to your unique style and preferences.
















## TYPES














Door Detail

- |   |                    |                      |
|---|--------------------|----------------------|
|    | GT60-1 - 1457 gr/m | Frame                |
| <hr/>   |                    |                      |
|    | GT60-2 - 935 gr/m  | Frame                |
| <hr/>   |                    |                      |
|    | GT24 - 1035 gr/m   | Door frame           |
| <hr/>   |                    |                      |
|  | GT34 - 1645 gr/m   | Door frame           |
| <hr/>   |                    |                      |
|  | GT14-B KIT         | Door pivot           |
| <hr/>   |                    |                      |
|  | WB02               | Drop seal            |
| <hr/>   |                    |                      |
|  | GT60-KIT           | Corner               |
| <hr/>   |                    |                      |
|  | GT60-S             | Support fitting      |
| <hr/>   |                    |                      |
|  | DG02               | Rubber               |
| <hr/>   |                    |                      |
|  | GTQ-A              | Rubber               |
| <hr/>   |                    |                      |
|  | S38                | Polycarbonate Gasket |
| <hr/>   |                    |                      |



- |  |   |                                 |
|--|---|---------------------------------|
|    | A | LOCK WITH CYLINDER              |
| <hr/>  |   |                                 |
|   | B | WC LOCK                         |
| <hr/>  |   |                                 |
|  | C | LOCK WITH ELECTRIC STRIKE PLATE |
| <hr/>  |   |                                 |
|  | D | HORIZONTAL MAGNETIC LOCK        |
| <hr/>  |   |                                 |
|  | E | GT14-DL4 Lock                   |
| <hr/>  |   |                                 |
| Available only in BASIC colors: ABK, ANA, ADB, ACA, WT                               |   |                                 |

# FRAME ZENO INDEX






## TYPES





Door Detail




1 GT60-1 - 1457 gr/m | Frame



2 GT60-2 - 935 gr/m | Frame



3 DH12 | Hinge



4 DH13 | Hinge



5 DL09A | Strike plate



6 GT60-KIT | Corner




7 DG02 | Rubber



8 GTQ-B | Rubber





A DL04





B DL05

Available only in BASIC colors: ABK, ANA, ADB, ACA, WT

FRAMELESS  
**ZENO**  
INDEX










## TYPES








DROP SEAL



## Door Detail

-  **GT60-1 - 1457 gr/m** | Frame
-  **GT60-2 - 935 gr/m** | Frame
-  **GF01-03** | Concealed 3D Hinge + plates  
| (GT60-03-SPH-KIT)
-  **GT60-KIT** | Corner
-  **WB02** | Drop seal
-  **DG02** | Rubber
-  **GTQ-A** | Rubber

-  **A** **LOCK WITH CYLINDER**
-  **B** **WC LOCK**
-  **C** **LOCK WITH ELECTRIC STRIKE PLATE**
-  **D** **WC LOCK WITH CYLINDER AND BUTTON**
-  **E** **LH10 Lock**

Available only in BASIC colors: ABK, ANA, ADB, ACA, WT







# THILLA

FULL FRAME DOOR




Perfect for expansive spaces, the **THILLA** system offers both locking capabilities and a concealed pivot function.

Compatible with all **PREMIUM's** frames, **THILLA** offers versatility and functionality to suit a variety of spaces.




## TYPES











Door Detail


- 


1 GT11 - 817 gr/m | Frame
- 


2 GT11B - 305 gr/m | Supporting Frame profile
- 


3 GT14 - 894 gr/m | Door frame
- 


4 GT14-2 - 1482 gr/m | Door frame
- 


5 GT14-2-COVER - 431 gr/m | Impact door end profile
- 

6 GT14-2 KIT | Bolt set
- 




7 GT14-B KIT | Door pivot
- 

8 GT11 KIT | Corner
- 

9 GTC | Rubber
- 

10 S35 | Polycarbonate Gasket
- 

11 BRUSH 4.8 | Brush 4.8 x 8

-   
A LOCK WITH CYLINDER
-   
B HORIZONTAL MAGNETIC LOCK
-   
C GT14-DL4 Lock  
Available only in BASIC colors: ABK, ANA, ADB, ACA, WT

THILLA  
INDEX

**BUILD FUNCTIONAL EXCELLENCE**

A modern office interior featuring glass partitions, a desk with a chair, and a large window overlooking a city skyline. The office is furnished with a desk, a chair, and a large window. A decorative cloud-shaped light fixture is visible in the foreground. The overall aesthetic is clean and professional.

# OFFICE PARTITIONS



IONS







# OFFICE PARTITION **ARIES**

**ARIES** offers the perfect office partition solution for versatile spatial planning needs.

The system features a full-frame door and offers additional options such as door closers and drop seal function, enhancing soundproofing for optimal acoustic performance with 40dB sound insulation.



Designed to accommodate glazing of up to 13.52mm thickness, **ARIES** provides flexibility in glass selection, with options ranging from 8mm to 12mm for the door.

Additionally, the system provides the potential to conceal electrical supply within its specially designed column profiles. It also supports a wooden-coated selection to create a warmer environment.

























DOUBLE DOOR TOP VIEW




SPECIAL PROFILE FOR ELECTRICAL SOCKET



















CROSS PROFILES  
OPTIONS













## TYPES





1		GT26-E-1 - 2360 gr/m	Frame
2		GT26-E-2 - 382 gr/m	Cover frame
3		GG22-1 - 892 gr/m	Vertical / Horizontal frame
4		GG22-2 - 342 gr/m	Cover frame
5		GT25 - 1447 gr/m	Frame
6		GT24 - 1035 gr/m	Door frame
7		GT34 - 1645 gr/m	Door frame
8		GT14-B KIT	Door pivot
9		DC03	Concealed door closer + fixing bar   (DC03-L1)
10		GT25 KIT	Corner
11		GG22 KIT	Corner
12		WB02	Drop seal
13		GFA	Rubber
14		GFB	Rubber
15		S38	Polycarbonate Gasket
16		GG22SC	Corner

17		GT25SC	Corner connector
18		GT24-2 - 1818 gr/m	Door frame
19		GT14-2 - 431 gr/m	Door Cover
20		BRUSH 4.8	Brush 4.8 x 8
21		GT24-2 KIT	Bolt - Double door
A		LOCK WITH CYLINDER	
B		WC LOCK	
C		LOCK WITH ELECTRIC STRIKE PLATE	
D		HORIZONTAL MAGNETIC LOCK	
E		GT14-DL4 Lock + plates   (LH10-WSP25)	

Available only in BASIC colors: ABK, ANA, ADB, ACA, WT




Fix Panel



Corner Position





T-Position







## DIVIDER PROFILES



## DOOR PROFILES



Simple Profile

Door With Drop Seal

## CROSS PROFILES



13x16mm Cross Profile (GTI6-1)

12x30mm Cross Profile (GTI6-2)



10x20mm Cross Profile (GTI6-4)

3x16 mm Cross Profile (GTI6-5)





# MODLES

## OFFICE PARTITION




The **MODLES** partition system redefines office spaces with its groundbreaking 46dB sound insulation. It also offers innovative features such as glass thickness of up to 13.52mm for FIX panels, an optional door closer for added convenience, a concealed drop seal for enhanced functionality, a secure concealed lock mechanism, and door glasses without holes or notches, accommodating thicknesses up to 12mm.

**MODLES** offers a range of options in aluminum colors, glass, wood, and ceramic materials to bring luxury and comfort to your space.

































## TYPES



Door Detail



- 1  **DGP63 - 894 gr/m** | Vertical / horizontal frame
- 2  **DGP03 - 223 gr/m** | Cover frame
- 3  **DGP61 - 2273 gr/m** | Frame
- 4  **DGP62 - 2229 gr/m** | Door frame
- 5  **DGP64 - 1973 gr/m** | Door frame
- 6  **GF01-01** | Concealed 3D Hinge + plates (DGP61-01-SPH-KIT)
- 7  **DC03** | Concealed door closer + plates (DGP62SP-DC03-KIT (DGP61SP-DC03-KIT)
- 8  **DGP62 KIT** | Fixing corner
- 9  **DGP61 KIT** | Fixing corner
- 10  **GTL-3** | Fixing corner
- 11  **DGL KIT** | Fixing corner
- 12  **WB02** | Drop seal
- 13  **DG04** | Rubber

- 14  **DG05** | Rubber
- 15  **DG02** | Rubber
- 16  **GTF** | Rubber
- 17  **S38** | Polycarbonate Gasket
- 18  **BRUSH 6.8** | Brush 6.8 x 8
- A  **LOCK WITH CYLINDER**
- B  **WC LOCK**
- C  **LOCK WITH ELECTRIC STRIKE PLATE**

MODLES  
INDEX









# MIERRE

OFFICE PARTITION


The **MIERRE** double-glazed office partition supports glass up to 12.5mm thickness for fixed installations. It offers versatility with two door options: the Minimal Frame, featuring a 6mm thick glued and painted perimeter glass, or the Full Frame, equipped with 6mm thick double-glazed glass.

This system features specialised profiles for encapsulating E/M material and separating fixed glass panels, ensuring reinforced stability, enhanced sound absorption, and convenient interchangeability between various glass types or alternative materials like wooden panels, ceramic, or PVC.




























































1		GT90 - 1412 gr/m	Frame
2		GT91-1 - 1225 gr/m	Door frame
3		GG91 - 980 gr/m	Top track
4		GG90-1 - 1179 gr/m	Bottom track
5		GG90-2 - 202 gr/m	Cover frame
6		GG90-3 - 292 gr/m	Cover profile
7		GT91-2 - 202 gr/m	Cover profile for door frame
8		GG94-1 - 787 gr/m	Frame for fixed glass
9		GG94-2 - 164 gr/m	Glazing profile
10		GG92 - 691 gr/m	Bottom track
11		GG95 - 350 gr/m	Cover profile
12		SH90	Unhidden hinge + plate
13		GT91-A01-KIT	Lock cover
14		AGB lock 60.5 / Str.plate	Lock
15		35-45T	Cylinder

16		LH08	Door handle
17		8.3x42.4x7.5	Frame Corner
18		8.3x29.2x7.5	Frame Corner
19		1.0x12.4x1.1	Frame Corner
20		38.3x36.3	Door Frame Corner
21		1.0x6.8x1.1	Door Frame Corner
22		2.5x35.6	Connector
23		GTR91	Glass rubber
24		GTR90	Rubber
25		GT90C	Gasket
26		S31-12	Sealant





1		GT92-1 - 1841 gr/m	Frame
2		GT93-1 - 1288 gr/m	Door frame
3		GG91 - 980 gr/m	Top track
4		GG90-1 - 1179 gr/m	Bottom track
5		GG90-2 - 202 gr/m	Cover frame
6		GG90-3 - 292 gr/m	Cover profile
7		GT93-2 - 257 gr/m	Cover profile for door frame
8		GG94-1 - 787 gr/m	Frame for fixed glass
9		GG94-2 - 164 gr/m	Glazing profile
10		GT92-2 - 542 gr/m	Connector profile
11		GG93 - 1025 gr/m	Cover profile
12		GG92 - 691 gr/m	Bottom track
13		GG95 - 350 gr/m	Cover profile
14		SH90-D	Conceal sash hinge
15		17.8x28.8	Frame Corner

16		1.0x15.5x1.4	Frame Corner
17		16.8x50.7	Door Frame Corner
18		2.5x35.6	Connector
19		GTR90	Rubber
20		S31-12	Sealant







# OFFICE PARTITION **ALLURE**

**ALLURE** is a double-glazed office partition system designed to meet high soundproof requirements, supporting glass thickness of up to 13.52mm. Transparency, elegance, and minimalism are the defining aesthetic elements of **ALLURE**, offering an uninterrupted visual experience with the absence of vertical or horizontal partition profiles.

The **ALLURE** partition system offers a full-frame door choice with a hidden pivot function for enhanced aesthetics, along with the option to install a door closer and drop seal for ultimate sound insulation. With soundproofing capability up to 48dB, it creates a peaceful work environment. Moreover, a double-glazed flush door option improves sound insulation.



Transform your environment into a luxurious and comfortable space with a wide selection of aluminum colors, glass, wood, and ceramic materials available with **ALLURE**.

Choose the flush door installation with a 3D hidden hinge for a seamless appearance. When combined with a door closer and drop seal function alongside double glazing, experience the utmost soundproofing effect. Available in a wide variety of RAL aluminum colors.

Flaunt your style and optimize compact spaces with **ALLURE** sliding partitions. The sliding door parks within the gap of the glass partition, with a thickness of just 100mm, remaining hidden and saving extra space in your room.



FRAME DOOR →





FLUSH DOOR    ↑







SLIDING DOOR →








Fix Panel



Corner Position



T-Position







## MATERIALS







**A**





**B**

**A.** Fix with Blinds








**B.** Fix with Wood







## TYPES



Detail View

- 1  DGP13 - 1209 gr/m | Vertical / horizontal frame
- 2  DGP03 - 223 gr/m | Cover frame
- 3  DGP01 - 2290 gr/m | Frame
- 4  GT24 - 1035 gr/m | Door frame
- 5  GT34 - 1645 gr/m | Door frame
- 6  DGL KIT | Fixing corner
- 7  GT14-B KIT | Door pivot
- 8  DGP01-KIT | Corner
- 9  DC03 | Concealed door closer + plates  
(DGP01SP-DC03-KIT)
- 10  WB02 | Drop seal
- 11  DG04 | Rubber
- 12  DG05 | Rubber
- 13  DG02 | Rubber
- 14  GTF | Rubber


- 15  S38 | Polycarbonate Gasket



FRAME DOOR  
**ALLURE**  
INDEX










Pivot Hinge

















Bottom Detail















## TYPES





1		DGP13 - 1209 gr/m	Vertical / horizontal frame
2		DGP03 - 223 gr/m	Cover frame
3		DGP07 - 2371 gr/m	Frame
4		DGP14 - 2384 gr/m	Frame
5		FD02 - 1046 gr/m	Door frame
6		DGP15 - 290 gr/m	Impact door end profile
7		DGP16 - 210 gr/m	Impact door end profile
8		FD05 - 260 gr/m	Door closer cover profile
9		FD03 - 255 gr/m	Brush profile + F1EC-1R+ F1EC-1L
10		FD04 - 184 gr/m	Drop seal profile + F1EC-2+F1EC-3
11		FD-B01-KIT	Lock cover
12		GF01-02	Concealed 3D Hinge + plates (DGP07-02-SPH-KIT)
13		DGL KIT	Fixing corner
14		DGP07-KIT	Corner
15		DGP14-KIT	Corner
16		FD02-KIT	Corner

17		DC03	Concealed door closer + plates   (DGP07SP-DC03-KIT and   FD02SP-DC03-KIT)
18		WB01	Drop seal
19		DG04	Rubber
20		DG05	Rubber
21		DG02	Rubber
22		GTF	Rubber
23		GT14-2 KIT	Bolt set
A		LOCK WITH CYLINDER	
B		WC LOCK	
C		LOCK WITH ELECTRIC STRIKE PLATE	
D		WC LOCK WITH CYLINDER AND BUTTON	
E		LH10 Lock + plates   (FD02-03-SPH and FD02SPL) For Door with ALU and MDF panels or WOODEN door	Available only in BASIC colors: ABK, ANA, ADB, ACA, WT


# FLUSH DOOR ALLURE INDEX











Detail View







## TYPES



1-FIX - 1-SLIDING




















1-FIX - 1-SLIDING - 1-FIX



1-FIX - 2-SLIDING - 1-FIX

Detail View

- 1  DGP13 - 1209 gr/m | Vertical frame
- 2  DGP03 - 223 gr/m | Cover frame
- 3  DGP06 - 2083 gr/m | Guide track
- 4  DGP08 - 1339 gr/m | Vertical / horizontal frame
- 5  DGP09 - 485 gr/m | Cover frame
- 6  DGP10 - 423 gr/m | Guide track cover
- 7  DGP11 - 304 gr/m | Guide track cover
- 8  DGP12 - 1066 gr/m | Sliding door frame
- 9  GT17-8 - 1103 gr/m | Sliding door frame
- 10  GT24 - 1035 gr/m | Sliding door frame
- 11  DGL KIT | Fixing corner
- 12  DG04 | Rubber
- 13  DG05 | Rubber

- 14  DG02 | Rubber
- 15  S38 | Polycarbonate Gasket
- 16  BRUSH 6.8 | Brush 6.8 x 8
- 17  DG1.DOOR-KIT

SLIDING DOOR  
**ALLURE**

INDEX







Close Vertical Section

Open Vertical Section





# OFFICE PARTITION **ARCOS**

The **ARCOS** partition system offers unparalleled acoustic performance, certified for sound insulation up to 37dB. This structural frameless double-glazed wall partition features an innovative adjustment mechanism, allowing for full adaptation after installation on the floor and ceiling.



The **ARCOS** partition system provides versatile support for various typologies, facilitated by specifically designed profiles. Additionally, glass parts can be ceramic painted in RAL colors to match the aluminum's color. The system features a flush double-glazed door with a 3D hidden hinge function. Furthermore, available options include a door closer, drop seal, and fingerprint access mechanism.





Elevate your space with the frameless design of **ARCOS**, creating a high-class, premium environment.

Bring warmth to your space by combining it with a wooden door leaf.















## TYPES




DROP SEAL



	<b>1</b>	<b>GF01-P1 - 1098 gr/m</b>	Vertical / horizontal profile		<b>17</b>	<b>GF-LG</b>	Legpart
	<b>2</b>	<b>GF01-P2 - 1511 gr/m</b>	Wall / Door profile		<b>18</b>	<b>GF-GR-R</b>	Gear
	<b>3</b>	<b>GF01-P3 - 2244 gr/m</b>	Door frame		<b>19</b>	<b>GF-GR-L</b>	Gear
	<b>4</b>	<b>GF01-P4 - 2033 gr/m</b>	Door frame		<b>20</b>	<b>GF01-L2</b>	Corner
	<b>5</b>	<b>GF01-P11 - 1672 gr/m</b>	Door frame horizontal profile		<b>21</b>	<b>GF01-L1</b>	Corner
	<b>6</b>	<b>GF01-P8 - 1204 gr/m</b>	Cross section T-join profile		<b>22</b>	<b>GF-C</b>	Corner + warm allen screws M5x6
	<b>7</b>	<b>GF01-P9 - 1665 gr/m</b>	90° degrees profile		<b>23</b>	<b>GFA</b>	Rubber
	<b>8</b>	<b>GF01-P10 - 345 gr/m</b>	Bottom sealing holder		<b>24</b>	<b>GFB</b>	Rubber
	<b>9</b>	<b>GF01-P5 - 887 gr/m</b>	Wall fixing profile		<b>25</b>	<b>BRUSH 6.8</b>	Brush 6.8 x 8
	<b>10</b>	<b>GF01-P7 - 563 gr/m</b>	Bottom rail		<b>26</b>	<b>GT14SC</b>	Pin screw
	<b>11</b>	<b>GF01-P6 - 602 gr/m</b>	Fixing profile		<b>27</b>	<b>GF-CN-1</b>	Connector
	<b>12</b>	<b>GF01-03</b>	Concealed 3D Hinge		<b>28</b>	<b>GF-CN-2</b>	Balance fitting
	<b>13</b>	<b>GT14-MDL</b>	Magnetic lock with cylinder 60mm and strike plate		<b>29</b>	<b>GF-CN-4</b>	Bolt
	<b>14</b>	<b>LHC</b>	Handle set		<b>30</b>	<b>GF-CN-3</b>	Connector
	<b>15</b>	<b>GF01-LC</b>	Lock cover		<b>31</b>	<b>GF-CAP</b>	Cap
	<b>16</b>	<b>WB02</b>	Drop seal		<b>32</b>	<b>SCREW SET</b>	Screw




Fix Panel




Corner Position



T-Position
















# CASSIA


## OFFICE PARTITION

**CASSIA** presents an ideal solution for rooms with ceilings up to 3.5m in height, delivering an intense soundproof effect with a performance of 44dB. Additionally, **CASSIA** offers the flexibility for skylight installation, enhancing natural light and ambience within the space.

The system can conceal the electric supply within its specially designed column profiles.



#### TYPES



DROP SEAL





	GF02-P1 - 1160 gr/m	Vertical / horizontal profile		LHC	Handle set
	GF02-P2 - 1445 gr/m	Wall / Door profile		WB02	Drop seal
	GF02-P3 - 2342 gr/m	Door frame		GF-LG	Legpart
	GF02-P4 - 2208 gr/m	Door frame		GF-GR-R	Gear
	GF02-P13 - 1672 gr/m	Door frame horizontal profile		GF-GR-L	Gear
	GF02-P8 - 1001 gr/m	Cross section T-joint profile		GF02-L2 GF02-L1	Corners
	GF02-P9 - 1880 gr/m	90° degrees profile		GF-C	Corner + warm allen screws M5x6
	GF01-P10 - 345 gr/m	Bottom sealing holder		GFA	Rubber
	GF01-P5 - 887 gr/m	Wall fixing profile		GFB	Rubber
	GF02-P7 - 791 gr/m	Bottom rail		BRUSH 6.8	Brush 6.8 x 8
	GF01-P6 - 602 gr/m	Fixing profile		GT14SC	Pin screw
	GF02-P12 - 510 gr/m	Impact door end profile		GF-CN-1 GF-CN-3	Connectors
	GF02-P11 - 81 gr/m	End profile		GF-CN-2	Balance fitting
	GF01-03	Concealed 3D Hinge		GF-CN-4	Bolt
	GF01-LC, GF02-C	Lock cover with corners		GF-CAP	Cap
	GT14-MDL	Magnetic lock with cylinder 60mm and strike plate		SCREW SET	Screw







# MOVA

OFFICE PARTITION

The **MOVA** office partition system offers a highly versatile solution for dividing spaces in hotels, event venues, and large open areas.

Featuring wooden panels with a central pivot, these partitions are ideal for wide openings and adaptable layouts. The panels move freely in all directions, allowing for seamless reconfiguration based on your needs, whether to divide or unify spaces.








Engineered for smooth movement without the need for floor tracks, the **MOVA** system includes a perimeter profile that can be customized with materials such as glass, aluminum, PVC, or MDF, depending on your specific design requirements.

The aluminum framework is carefully designed to provide effective acoustic insulation, delivering both aesthetic appeal and practical functionality.



**BUILD** FUNCTIONAL EXCELLENCE



SLIDING  
**DOORS**

DOORS





Elegant design merges with  
minimalist luxury and  
architectural innovation in  
our collection of **PREMIUM**  
sliding doors





Elegant design merges with minimalist luxury and architectural innovation in our collection of **PREMIUM** sliding doors. Our doors are crafted with careful attention to detail, enhancing both the functionality and aesthetic appeal of living spaces. Explore our range and discover how our commitment to quality ensures that each door not only slides effortlessly but also adds a touch of sophistication to any environment.




The distinctive feature of the new **PREMIUM** sliding doors is the Anti-Swing and Anti-Sinking technology. This ensures stability comparable to floor rail sliding doors. It provides users with a seamless and luxurious sliding experience.

In this new series of sliding doors, rollers at the bottom of the panels replace any floor fixtures holding the sliding panels. This innovation allows for smooth bidirectional movement and enables the panels to park flush with each other.


The sliding systems offer a variety of profiles, including exposed or hidden tracks, and the option to frame the wall's jamb for a robust construction feel and to cover any imperfections of the wall or opening. Panel profiles are designed with minimal dimensions for a sleek aesthetic.

Choose from glass thicknesses ranging from 8mm to 10mm, with each panel supporting a maximum weight of up to 80kg. Our wide range of mechanisms and profiles includes overlapping and telescopic functionality, as well as synchronized, magnetic, pocket, and ghost door options.


**1. Concealed Track**




**2. Surface - Mounted Track**



**3a. With Door Cover**



**3b. With Door Cover**





1. Concealed Track



2. Surface Mounted Track



3a. With Wall Cover



3b. With Wall Cover

DOOR  
PROFILES








The **COSMO** system is designed for overlapping and telescopic functionality in sliding systems. It incorporates soft-close technology for both opening and closing function, ensuring user-friendly and silent operation.











The range of profiles and mechanisms offers numerous configuration options, accommodating large openings and corner arrangements with magnetic sealing.







Corner Arrangement


















## TYPLOGIES





## CEILING FUNCTION TYPLOGIES






1		GT83-5 - 650 gr/m	Track cover
2		GT83-2 - 950 gr/m	Wall frame
3		GT83-3 - 450 gr/m	Wall frame
4		GT83-6 - 290 gr/m	Track cover
5		GT82-2 - 130 gr/m	Track cover
6		GT82-1 - 80 gr/m	Track cover
7		GT83-7 - 100 gr/m	Track cover
8		GT81 - 1210 gr/m	Guide track
9		GT20-1 - 760 gr/m	Door frame
10		GT20-2 - 450 gr/m	Door frame
11		GT20-3 - 270 gr/m	Door frame cover
12		GT20-4 - 290 gr/m	Door frame cover
13		PH05	Handle
14		GGO-01-KIT	Corner
15		GGO-02-KIT	Corner


16		GT20-SC	Screw
17		GT20-C2	Connector gasket
18		GT20-C1-KIT	Connector gasket
19		GT20-R	Rubber
20		S39	Rubber
21		BRUSH 4.4	Brush
22		SCREW-01-KIT	Screw for level and rubber pad
23		TZ-01-KIT	Fix connector
24		GT80-SP2-KIT	Track positioning part
25		GT81SD-KIT	



#### TYPES











#### CEILING FUNCTION TYPES











1		GT82-4 - 230 gr/m	Track cover
2		GT82-2 - 130 gr/m	Track cover
3		GT82-1 - 80 gr/m	Track cover
4		GT80-1 - 1350 gr/m	Guide track
5		GT20-1 - 760 gr/m	Door frame
6		GT20-2 - 450 gr/m	Door frame
7		GT20-3 - 270 gr/m	Door frame cover
8		GT20-4 - 290 gr/m	Door frame cover
9		PH05	Handle
10		GT20-SC-KIT	Screw
11		GT20-C2-KIT	Connector gasket
12		GT20-C1-KIT	Connector gasket
13		GT20-R	Rubber
14		S39	Rubber
15		BRUSH 4.4	Brush
















16		SCREW-01-KIT	Screw for level and rubber pad
17		GT80S-KIT	
18		GT80M-KIT	










## CEILING FUNCTION TYPOLOGIES





1		GT82-3 - 250 gr/m	Cover
2		GT82-2 - 130 gr/m	Track cover
3		GT82-1 - 80 gr/m	Track cover
4		GT80-1 - 1350 gr/m	Guide track
5		GT80-2 - 2140 gr/m	Double Guide track
6		GT20-1 - 760 gr/m	Door frame
7		GT20-2 - 450 gr/m	Door frame
8		GT20-3 - 270 gr/m	Door frame cover
9		GT20-4 - 290 gr/m	Door frame cover
10		GT20-5 - 410 gr/m	Door frame cover for corner
11		PH05	Handle
12		GT20-SC-KIT	Screw
13		GT20-C2-KIT	Connector gasket
14		GT20-C1-KIT	Connector gasket
15		GT20-R	Rubber

16		S39	Rubber
17		GT20-5R	Anticollision rubber for corner
18		BRUSH 4.4	Brush
19		GT20-5 MAGNET	Magnetic device for corner
20		SCREW-01-KIT	Screw for level and rubber pad
21		GT80S-KIT	
22		GT80M-KIT	

CORNER ARRANGEMENT

COSMO

INDEX








# HARMONY

SLIDING DOORS

**HARMONY** is **PREMIUM's** synchronized sliding system, offering users the ease of opening a multi panel system with just one hand. Ideal for large openings in office spaces, dining areas, and hotels.




















## TYPES




## CEILING FUNCTION TYPES







with  
WALL COVER



#### TYPES



#### CEILING FUNCTION TYPES






# HARMONY INDEX




1		GT83-5 - 650 gr/m	Track cover	17		PB01	Plastic bar for full cover
2		GT83-2 - 950 gr/m	Wall frame	18		PH05	Handle
3		GT83-3 - 450 gr/m	Wall frame	19		GGO-01-KIT	Corner
4		GT83-6 - 290 gr/m	Track cover	20		GGO-02-KIT	Corner
5		GT82-2 - 130 gr/m	Track cover	21		GT20-SC-KIT	Screw
6		GT82-1 - 80 gr/m	Track cover	22		GT20-C2-KIT	Connector gasket
7		GT83-7 - 100 gr/m	Track cover	23		GT20-C1-KIT	Connector gasket
8		GT81 - 1210 gr/m	Guide track	24		GT20-R	Rubber
9		GT20-1 - 760 gr/m	Door frame	25		S39	Rubber
10		GT20-2 - 450 gr/m	Door frame	26		GT20-7R	Anti-collision rubber
11		GT20-3 - 270 gr/m	Door frame cover	27		BRUSH 4.4	Brush
12		GT20-4 - 290 gr/m	Door frame cover	28		SCREW-01-KIT	Screw for level and rubber pad
13		GT20-6 - 350 gr/m	Vertical cover	29		TZ-01-KIT	Fix connector
14		GT20-7 - 480 gr/m	Vertical cover	30		GT80F-KIT	Fittings for fixed door
15		GT88-2 - 350 gr/m	Adjust and fixed profile	31		GT80-SP1-KIT	Track positioning part
16		GT82-3 - 250 gr/m	Cover				





31

GT81SD-KIT



32

GT81S-KIT

HARMONY  
INDEX







# MAGNA




SLIDING DOORS

The **MAGNA** magnetic sliding series offers maximum functionality, enabling users to open the panels with a gentle motion and have them return automatically, thanks to the magnetic mechanism within the track.


Additionally, the system includes access control via a wall button. **MAGNA** can be applied to various configurations and track placement options. Panels are available either full frame or in a frameless design.



#### TYPES








#### CEILING FUNCTION TYPES










1		MDT - 15 (1,29 - 1,64m) MDT - 20 (1,64 - 2,04m) MDT - 25 (2,04 - 2,44m) MDT - 30 (2,44 - 2,84m) MDT - 35 (2,84 - 3,24m)	SET
2		GT82-3 - 250 gr/m	Cover
3		GT82-2 - 130 gr/m	Track cover
4		GT82-1 - 80 gr/m	Track cover
5		GT20-1 - 760 gr/m	Door frame
6		GT20-2 - 450 gr/m	Door frame
7		GT20-3 - 270 gr/m	Door frame cover
8		GT20-4 - 290 gr/m	Door frame cover
9		GT88-2 - 350 gr/m	Adjust and fixed profile
10		PH05	Handle
11		GT20-SC-KIT	Screw
12		GT20-C2-KIT	Connector gasket
13		GT20-C1-KIT	Connector gasket
14		GT20-R	Rubber
15		S39	Rubber


16		BRUSH 4.4	Brush
17		SCREW-01-KIT	Screw for level and rubber pad
18		GT80F-KIT	Fittings for fixed door
19		GT80S-KIT	
20		GT80-4S-KIT	



TPOLOGIES



CEILING FUNCTION TPOLOGIES





MS - 15 (1,40 - 2,00m)  
MS - 25 (2,00 - 2,70m)  
MS - 30 (2,70 - 3,40m)

1




| SET



2


GT87-2 - ??? gr/m

| Cover



3

GT80S-KIT





4




GT87S-KIT

SINGLE DOOR  
**MAGNA**


INDEX



## TYPES













## CEILING FUNCTION TYPES







1		MT - 30 (2,58 - 3,28m) MT - 40 (3,28 - 4,08m) MT - 45 (4,08 - 4,88m) MT - 50 (4,88 - 5,68m) MT - 55 (5,68 - 6,48m)	SET
2		GT82-3 - 250 gr/m	Cover
3		GT82-2 - 130 gr/m	Track cover
4		GT82-1 - 80 gr/m	Track cover
5		GT20-1 - 760 gr/m	Door frame
6		GT20-2 - 450 gr/m	Door frame
7		GT20-3 - 270 gr/m	Door frame cover
8		GT20-4 - 290 gr/m	Door frame cover
9		GT20-6 - 350 gr/m	Vertical cover
10		GT20-7 - 480 gr/m	Vertical cover
11		GT88-2 - 350 gr/m	Adjust and fixed profile
12		PH05	Handle
13		GT20-SC-KIT	Screw
14		GT20-C2-KIT	Connector gasket
15		GT20-C1-KIT	Connector gasket

16		GT20-R	Rubber
17		S39	Rubber
18		GT20-7R	Anti-collision rubber
19		BRUSH 4.4	Brush
20		SCREW-01-KIT	Screw for level and rubber pad
21		GT80F-KIT	Fittings for fixed door
22		GT80S-KIT	
23		GT80-4D-KIT	

# DOUBLE DOOR MAGNA INDEX





# SLIDING DOORS **SECRETA**



The **SECRETA** pocket door has the ability to slide and hide within the wall, providing complete transparency to the space. It is the ideal choice for minimalist environments with high aesthetic standards. To retract the door, simply push and open it, allowing the sliding panel to extend out from the wall for easy closure.




























## TYPOLOGIES










## CEILING FUNCTION TYPOLOGIES






1		GT80-1 - 1350 gr/m	Guide track
2		GT20-1 - 760 gr/m	Door frame
3		GT20-2 - 450 gr/m	Door frame
4		GT20-3 - 270 gr/m	Door frame cover
5		GT82 - 680 gr/m	Support rod
6		GT84-1 - 240 gr/m	Fixing support profile
7		GT84-4 - 180 gr/m	U shape adjust profile
8		GT84-2 - 130 gr/m	U shape adjust profile
9		GT82-1 - 80 gr/m	Track cover
10		GT82-6 - 250 gr/m	Cover
11		PH05	Handle
12		GT20-C2-KIT	Connector gasket
13		GT20-C1-KIT	Connector gasket
14		GT20-R	Rubber
15		S39	Rubber


16		BRUSH 4.4	Brush
17		GT20-SC-KIT	Screw
18		SCREW-01-KIT	Screw for level and rubber pad
19		GT80S-KIT	
20		GT80P-KIT	



## TYPES































## CEILING FUNCTION TYPES







1		GT80-1 - 1350 gr/m	Guide track
2		GT20-1 - 760 gr/m	Door frame
3		GT20-2 - 450 gr/m	Door frame
4		GT20-3 - 270 gr/m	Door frame cover
5		GT82 - 680 gr/m	Support rod
6		GT84-1 - 240 gr/m	Fixing support profile
7		GT84-3 - 240 gr/m	U shape adjust profile
8		GT84-2 - 130 gr/m	U shape adjust profile
9		GT82-1 - 80 gr/m	Track cover
10		GT83-5 - 650 gr/m	Track cover
11		GT83-3 - 450 gr/m	Wall frame
12		GT83-2 - 950 gr/m	Wall frame
13		GT29-1 - 320 gr/m	Track cover
14		PH05	Handle
15		GGO-01-KIT	Corner
16		GGO-02-KIT	Corner

17		PB01	Plastic bar for full cover
18		GT20-C2-KIT	Connector gasket
19		GT20-C1-KIT	Connector gasket
20		GT20-R	Rubber
21		S39	Rubber
22		BRUSH 4.4	Brush
23		SCREW-01-KIT	Screw for level and rubber pad
24		TZ-01-KIT	Fix connector
25		GT20-SC-KIT	Screw
26		GT80-SP1-KIT	Track positioning part
27		GT80S-KIT	
28		GT80P-KIT	

# WALL COVER SECRETA INDEX







# SPETTRO


SLIDING DOORS

The demand for innovative design in interior architecture has led to the emergence of the 'ghost door'.


The **SPETTRO** slides out of the wall using concealed lateral support components and profiles, minimizing the visibility of guides or other hardware. Only the sliding panel is visible, gliding smoothly on upper and lower mechanisms with quiet and harmonious operation, imparting a sophisticated appearance to the space.



TYPOLOGIES







1 GT89-1 - 1230 gr/m | Bottom Horizontal panel profile



2 GT89-2 - 990 gr/m | Upper Horizontal panel profile






3 GT89-3 - 710 gr/m | Vertical panel profile



4 GT89-4 - 430 gr/m | Vertical panel cover



5 S89-8 - 220 gr/m | Internal profile for glass



8 GT89G-KIT







# SLIDING DOORS **ALDO**

**ALDO** features a frameless design with a soft-close mechanism for seamless operation. This door type has evolved to ensure quieter functionality.

Customize your **ALDO** by choosing from various aluminum colors and glass panel options.





## TYPES











- 


1 GT31-1 - 1285 gr/m | Guide track
- 


2 GT31-2 - 599 gr/m | Guide track Cover
- 


3 GT31-3 - 800 gr/m | Guide track for FIX
- 


4 GG03 - 141 gr/m | U chanel
- 

5 GG03EC | End cap
- 

6 FG01B | Floor guide
- 

7 GT31-2H-KIT | Support plates
- 

8 DK08 | Door knob
- 

9 GT31EC-L/R | End cap
- 

10 D1.DOOR-KIT



FOLDING  
**DOOR**

DOOR

**BUILD** FUNCTIONAL EXCELLENCE












# VENTE


FOLDING DOOR

The **VENTE** folding door features a perimeter frame, ideal for interior spaces, with top and bottom hinges ensuring smooth operation. It also offers the option of a concealed or exposed upper track, along with an optional locking mechanism for added security. Designed to accommodate glass thicknesses from 8 to 10 mm, this folding door operates quietly while maintaining a sleek, modern aesthetic.


Perfect for residential, hotel or office environments, the **VENTE** folding door provides a high level of visual appeal, offering a sophisticated yet functional solution for space division.


















## TYPOLOGIES












## CEILING FUNCTION TYPOLOGIES





1		GT83-4 - 570 gr/m	Track cover
2		GT83-2 - 950 gr/m	Wall frame
3		GT83-3 - 450 gr/m	Wall frame
4		GT29-1 - 320 gr/m	Frame
5		GT86-1 - 70 gr/m	Track cover
6		GT80-1 - 1350 gr/m	Guide track
7		GT20-1 - 760 gr/m	Horizontal panel profile
8		GT20-2 - 450 gr/m	Vertical panel profile
9		GT20-3 - 270 gr/m	Panel cover profile
10		GT20-8 - 270 gr/m	Panel cover profile
11		GT86-2 - 250 gr/m	Wall profile
12		PB01	Plastic bar for full cover
13		GGO-01-KIT	Corner
14		GGO-02-KIT	Corner
15		GT20-SC-KIT	Screw

16		GT20-C2-KIT	Connector gasket
17		GT20-C1-KIT	Connector gasket
18		GT20-R	Rubber
19		S39	Rubber
20		GT20-8R	Rubber
21		GT86-2R	Rubber
22		SCREW-01-KIT	Screw for level and rubber pad
23		TZ-01-KIT	Fix connector
24		GT80-SP1-KIT	Track positioning part
25		GT86D-KIT-R GT86D-KIT-L	
26		GT86SD-KIT	
27		GT86L-KIT	



**CLOSETS**

CLOSET



S



**BUILD** FUNCTIONAL EXCELLENCE



The **PREMIUM** aluminum glass closet combines minimalist luxury with architectural elegance to enhance your living space.



# Key Features

- **Minimalist Luxury:** Clean lines and an elegant aluminum frame, perfect for modern, uncluttered environments.
- **Tempered Glass Panels:** Strong and safe, the glass enhances the openness of your space with a translucent finish.
- **Innovative Design:** The lightweight yet durable aluminum construction ensures longevity without bulk, offering a sleek and seamless appearance.
- **Space-Efficient:** Ideal for small or minimalist homes, maximizing storage without compromising on design.



## A FUSION OF MINIMALIST LUXURY & MODERN INNOVATION

Constructed from premium materials, the **PREMIUM** aluminum glass closet brings a refined, modern touch to any room. Whether used for clothing, accessories, or as a focal point, it provides smart storage solutions with timeless appeal.

Discover how the Aluminum Glass Closet transforms your home with its blend of modern innovation and everyday functionality, providing a perfect solution for those who value minimalist design and architectural finesse.













CLOSETS  
GLINT



Product Details












CLOSETS **CLERO**




Product Details















CLOSETS **GLOW**














- ① 45 18
- ② 45 18
- ③ 45 36
- ④ 45 36
- ⑤ 36 12
- ⑥ 36 12
- ⑦ 36 18
- ⑧ 36 17
- ⑨ 36 17
- ⑩ 29.8 48
- ⑪ 29.8 29.5
- ⑫ 18.2 12
- ⑬ 14.5 18
- ⑭ 23.8 4.3
- ⑮ 18




**GLOW**  
**TECHNICAL**









CLOSETS **ZEPHYR**



Product Details









CLOSETS










NEXA





Product Details












**SIRO**  
CLOSETS





Product Details























AERIS  
TECHNICAL








CLOSETS  
**FINO**



Product Details












CLOSETS **ALVI**



Product Details











CLOSETS **LIORA**






## SLIDING DOOR SOLUTION






FRONT view



LATERAL view



TOP view



## FOLDING DOOR SOLUTION





# CLOSETS QUARO



The **QUARO** closet features folding glass panels, combining minimalist aesthetics with practical functionality. Its slim aluminum profile ensures a sleek look, while custom dimensions allow it to fit perfectly into any space.

With a range of color options for both the aluminum frame and glass panels, this wardrobe offers personalized design flexibility. Integrated LED lighting enhances its modern appeal, providing both style and convenience.



Product Details





**BUILD** FUNCTIONAL EXCELLENCE



**ACOUSTIC BOOTHS**



S



**PREMIUM ACOUSTIC BOOTHS** are engineered to meet the diverse needs of modern spaces, offering versatile functionality and high-performance soundproofing in a portable, adaptable solution.

Constructed from premium materials, including aviation-grade aluminum, and designed to offer privacy and tranquility in bustling environments, these booths are ideal for offices, open-plan workspaces, libraries, schools, and public areas. They enable users to focus, collaborate, or engage in private conversations without distractions.

#### AVAILABLE COLOURS

RAL 9005 RAL 2500 RAL 6028 RAL 3020 RAL 2008 RAL 1018 RAL 5022 RAL 9010 RAL 9016






# Key Features

- **Superior soundproofing:** Designed to achieve the highest levels of sound insulation performance, our booths combine multiple layers of sound-absorbing materials, including polyester fiberboard and bamboo fiberboard, along with 10mm-thick soundproof tempered glass, providing excellent noise reduction and acoustic privacy. This advanced soundproofing ensures a quiet, distraction-free environment for meetings, work, or personal concentration.
- **Ventilation system:** An innovative, labyrinth-type low-noise fresh air system refreshes the air every 3-5 minutes for a comfortable environment. Larger models also offer air conditioning options.
- **Lighting:** Equipped with 6000K LED ceiling lights, the booths provide ample illumination for work, meetings, or quiet focus.
- **Power supply:** Supporting a range of electrical devices, each booth is outfitted with a 100-240V power system and USB outlets.
- **Customizable interiors:** Tailor the booth's interior finishes to your brand or space with various color and material options. Additionally, the interior acoustic panels are customizable to meet specific soundproofing needs.
- **Furniture selection:** Each booth is designed with preset furniture arrangements that cater to different scenarios according to your needs. Whether for private meetings, focused work, or collaborative sessions, our booths can be outfitted with specific furniture configurations to create the ideal environment for any situation. From seating options to work surfaces, every detail is considered to ensure both functionality and comfort.
- **Sustainability & Durability:** The eco-friendly, wear-resistant exterior ensures long-lasting durability while being fireproof and moisture-proof.

The booths are also equipped with steel universal wheels, allowing for effortless movement and relocation, making them an ideal solution for dynamic spaces.

Elevate your workspace with **PREMIUM ACOUSTIC BOOTHS**, a combination of high performance, stylish design, and customizable options that seamlessly integrate into any environment, providing the ultimate privacy and functionality.





#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 1000x900X2350mm

**INTERIOR:** 870x866x2128mm

**SPACE:** 1,6m<sup>3</sup>


**FLOOR AREA:** 0,9m<sup>2</sup>

# BT01

# TECHNICAL

# BOOTHS BT01





#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 1200x1000X2350mm

**INTERIOR:** 1070x956x2128mm

**SPACE:** 2,18m<sup>3</sup>

**FLOOR AREA:** 1,2m<sup>2</sup>


# BT02

# TECHNICAL





BOOTHS **BT02**



#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 1500x1250X2350mm

**INTERIOR:** 1370x1206x2128mm

**SPACE:** 3,52m<sup>3</sup>


**FLOOR AREA:** 1,86m<sup>2</sup>

# BT03-A

# TECHNICAL



BOOTHS **BT03-A**



#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 1500x1800X2350mm

**INTERIOR:** 1372x1756x2128mm


**SPACE:** 5,12m<sup>3</sup>


**FLOOR AREA:** 2,7m<sup>2</sup>

# BT03-B

# TECHNICAL







#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 1800x1500X2350mm


**INTERIOR:** 1670x1206x2128mm


**SPACE:** 4,8m<sup>3</sup>

**FLOOR AREA:** 1,0m<sup>2</sup>

# BT04

# TECHNICAL





#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 2200x1500x2350mm

**INTERIOR:** 2070x1456x2128mm

**SPACE:** 6,41m<sup>3</sup>

**FLOOR AREA:** 3,3m<sup>2</sup>


# BT05-A

# TECHNICAL





BOOTHS **BT05-A**



#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 2200x2100x2350mm


**INTERIOR:** 2070x2056x2128mm

**SPACE:** 9,06m<sup>3</sup>


**FLOOR AREA:** 4,62m<sup>2</sup>

# BT05-B

# TECHNICAL



BT05-B  
BOOTH



#### PRODUCT SPECIFICATIONS

**EXTERIOR:** 3000x2100X2350mm

**INTERIOR:** 2872x2013x2128mm

**SPACE:** 15,65m<sup>3</sup>

**FLOOR AREA:** 6,3m<sup>2</sup>


# BT06

# TECHNICAL





BOOTHS **BT06**



### PRODUCT SPECIFICATIONS

**EXTERIOR:** 4000x2800X2370mm

**INTERIOR:** 3870x2756x2128mm

**SPACE:** 22,7m<sup>3</sup>

**FLOOR AREA:** 11,2m<sup>2</sup>

# BT07

# TECHNICAL

# BOOTHS BT07




# MATERIAL INDEX


All material options are applicable only  
to the following product categories:

**DOORS | PARTITIONS | SLIDING DOORS**






**01.**  
Clear Glass




**02.**  
Extra Clear Glass




**03.**  
Grey Tinted




**04.**  
Bronze Tinted



**05.**  
Satin Extra Clear




**06.**  
Satin




**07.**  
Fluted




**08.**  
Mirastar



**09.**  
Grey Mesh



**10.**  
Bronze Mesh



**11.**  
Gold Mesh


SOLID



**01.**  
BJS-02




**02.**  
BJS-06



**03.**  
BJS-07



**04.**  
BJS-09



**05.**  
BJS-11




**06.**  
BJS-12



**07.**  
BJS-13



**08.**  
BJS-14



**09.**  
BJS-15



**10.**  
BJS-16

CLOTH



**01.**  
BJF-06



**02.**  
BJF-07



**01.**  
BJR-10



**02.**  
BJR-11

STONE

METAL



**01.**  
BJM-08



**02.**  
BJM-09

## WOOD



**01.**  
BJW-06



**02.**  
BJW-07




**03.**  
BJW-08



**04.**  
BJW-09



**05.**  
BJW-10




**06.**  
BJW-11



**07.**  
BJW-12


## ALUMINIUM COLORS



**01.**  
Pure White



**02.**  
Dark Brown




**03.**  
Bronze



**04.**  
Champagne



**05.**  
Gun Metal



**06.**  
Black Matte



# HARDWARE INDEX



## HINGED



**01.**  
Paris



**02.**  
Stark 1



**03.**  
Stark 2



**04.**  
Stark 3



**05.**  
Stark 4

## SLIDING



**01.**  
Juliet 1



**02.**  
Juliet 2



**03.**  
Juliet 3

**BUILD** FUNCTIONAL EXCELLENCE

[www.papgroup.gr](http://www.papgroup.gr)



**PCA | Showroom**

Thessaloniki Industrial Area  
bk.38 Sindos, 57022 | Greece

t: +30 2310 57 07 27  
[info@papgroup.gr](mailto:info@papgroup.gr)



**Athens | Showroom**

Solomou 13  
Peristeri-Attiki, 12133 | Greece

t: +30 210 57 57 727  
[info@papgroup.gr](mailto:info@papgroup.gr)