


BUILD SMART. BUILD DIFFERENT.



PCA

BUILD SMART.
BUILD DIFFERENT.



SHOWER CABINS | DOORS | OFFICE PARTITIONS | SPIDERS | FACADES |
GLASS RAILINGS | INOX RAILINGS | CANOPIES

At **PAP GROUP**, we take pride in being one of the most innovative industrial groups worldwide, with over 50 years of experience in glass processing and unique architectural applications. Our headquarters are situated in the Industrial Area of Thessaloniki, Greece and we are rapidly expanding thanks to our six exceptional brands:

PCA | PREMIUM | SPARKE | MINIMAL | TERRACE | ARCA



PCA is our flagship brand, specializing in the design and manufacturing of glass accessories and aluminum profiles. We strive to provide comprehensive solutions for a wide range of glass applications. From shower cabins and facades to folding doors and glass wall partitions, our product range covers it all. We offer ready-for-installation products as well as raw materials, ensuring that every customer's needs are met with precision and quality. Founded in 2008 by Savvas Papadopoulos, PCA emerged as a pioneering brand dedicated to designing cutting-edge systems for glass applications. In 2010, PCA's commitment to continuous improvement led to the establishment of the Research and Development (R&D) department within the organization. This pivotal addition opened doors for international innovation and design, as the company delved into extensive studies and research to shape the future of the industry.

A major milestone for PCA came in 2012 when it participated in the Glasstec Düsseldorf Exhibition in Germany, marking its inaugural international exhibition appearance. This milestone propelled the brand to participate in numerous prestigious exhibitions worldwide, cementing its reputation as a global player. Before long, PCA's business activities spread across more than 50 countries, earning the trust and admiration of clients around the globe.

Building on its exceptional achievements, in 2021, PCA further specialized its brand, focusing on delivering tailored solutions that distinguish its offerings from other PAP GROUP brands. This strategic shift allowed PCA to enrich its portfolio of materials and architectural systems, setting new benchmarks for quality and design.

At PCA, we understand that your construction projects deserve nothing less than the best. That's why we are committed to offering excellent materials that guarantee both durability and style. With our meticulously crafted products, your constructions will exude a sense of refinement and elegance that leaves a lasting impression.





Contents

Shower Cabins & WC Partitions

FS01	sliding shower cabin series	6
FS06	sliding shower cabin series	8
DS01	side sliding shower cabin series	10
SW01	swing shower cabin series	12
SW04	swing shower cabin series	14
SN	sliding shower cabin series	16
A0	opening shower cabin series	20
B0	opening shower cabin series	26
WN	walk-in shower cabin series	32
SM	WC partition series	34
ST9	WC partition series	40
SA9	WC partition series	42

Sliding Doors & Office Partitions

MAGNA	magnetic sliding door	80
DORSA	automatic sliding door	86
D	sliding door series with soft close	88
B	sliding door series	92
A2	door frame series	106
A3	door frame series	108
A4	door frame series	110
A5	door frame series	112
A6	door frame series	114
A22	full door frame series	116
A23	full door frame series	118
A24	full door frame series	120
A25	full door frame series	122
A20	DOUBLE - full door frame series	124
A9	partition series	130
A11	partition series	132
A10	partition series	134

Facades

WR1	facade series	154
WR2	facade series	156
WS1	facade series	158
W1	partition series	162

Spiders

S1	spider series	182
S2	spider series	184

Balcony Railings

M2	balcony railing series	192
M3	balcony railing series	194
M25	balcony railing series	196
M26	balcony railing series	197
M12	balcony railing series	198
M23	balcony railing series	200
M13	balcony railing series	202
M20	lateral point fixing series	204
M16	lateral point fixing series	206
M24	concealed balcony railing series	208
M27	post railing series	210
M28	lateral post railing series	212
M29	post glass railing series	214
M30	post railing series	216
M31	mini-post railing series	219
M9	lateral point fixing series	220
M21	lateral point fixing series	221
M6	lateral point fixing series	222
M7	lateral point fixing series	226
M8	lateral point fixing series	228

Inox Railings

NX	inox railings series	234
-----------	----------------------	-----

Staircase

L1	staircase series	238
-----------	------------------	-----

Canopies

E1	canopy series	242
E2	canopy series	245
E3	canopy series	247

Miscellaneous & Consumables

248

SHOWER CABINS






FS01 | NEW SLIDING SHOWER CABIN SERIES





GLASS PREPARATION



Bill Of Material

1  X1	2  X1	3  X1	4  X1	5  X1	6  X1
7  X2	8  X2	9  X2	10  X2	11  X2	12  X1



FS01

SPECIFICATIONS

Function: One fixed - One sliding
 Material: 304 stainless steel
 Glass thickness: 8mm
 Total Height: 2000 mm
 Max Width: 1700 mm
 Door: 550mm (standard)

AVAILABLE COLORS





FS06




NEW

SLIDING SHOWER CABIN SERIES





GLASS PREPARATION



Bill Of Material

1 x1	2 x1	3 x1	4 x1	5 x1	6 x1
7 x2	8 x2	9 x2	10 x2	11 x2	12 x1



FS06

SPECIFICATIONS

Function: Fixed - Sliding - Fixed
 Material: 304 stainless steel
 Glass thickness: 8mm
 Total Height: 2000 mm
 Max Width: 1700 mm
 Door: 550mm (standard)

AVAILABLE COLORS






DS01 | **NEW** SIDE SLIDING SHOWER CABIN SERIES





GLASS PREPARATION



Bill Of Material

1  X2	2  X2	3  X1	4  X2	5  X1	6  X2
7  X1					

DS01

SPECIFICATIONS

Function: Square shaped side sliding door
 Material: 304 stainless steel
 Glass thickness: 8mm
 Total Height: 2000 mm
 Max Width: 1300 mm
 Max Length: 1300 mm
 Door: 650mm (standard)

AVAILABLE COLORS






SW01 | NEW SWING SHOWER CABIN SERIES





GLASS PREPARATION



Bill Of Material

1 X2	2 X2	3 X2	4 X2	5 X1
6 X1	7 X2	8 X2	9 X1	

OPENING: DOUBLE ACTION



SW01

SPECIFICATIONS

Function: Swing door
Material: 304 stainless steel
Glass thickness: 8mm
Total Height: 2000 mm
Max Width: 1700 mm
Door: 650mm (standard)

AVAILABLE COLORS







SW04 | NEW

SWING SHOWER CABIN SERIES





GLASS PREPARATION



OPENING: DOUBLE ACTION



SW04

SPECIFICATIONS

Function: Swing door
Material: 304 stainless steel
Glass thickness: 8mm
Total Height: 2000 mm
Max Width: 1300 mm
Max Length: 1300 mm
Door: 650mm (standard)


AVAILABLE COLORS





SN | SLIDING SHOWER CABIN SERIES







SN01 CABIN

•OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

1 x PCA SN - Kit

- 2 x RH18
- 2 x RH18B
- 2 x HL39
- 2 x HL34
- 2 x SP14



1 x GT02



1 x GG01



1 x GG15



1 x GG02



1 x S05



1 x S06



1 x FG01




1 x DK08


(Optional)



GLASS PREPARATION



TOP VIEW DETAIL





SN02 CABIN

- OPTIONAL **U** GG15,GG14 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

2 x PCA SN - Kit

- 2 x RH18
- 2 x RH18B
- 2 x HL39
- 2 x HL34
- 2 x SP14

- 1 x FG03
- 1 x HL35

1 x GT02

1 x GG01

2 x GG15

1 x GG02

1 x S09

2 x S06


2 x FG01

2 x DK08


(Optional)



GLASS PREPARATION



TOP VIEW DETAIL




SN



AO | HINGED SHOWER CABIN SERIES








A03 CABIN


•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness



GLASS PREPARATION



TOP VIEW DETAIL






A04 CABIN


•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness




GLASS PREPARATION



TOP VIEW DETAIL




A0




1 x GG10	
2 x SH45 (Optional)	
2 x SH46 (Optional)	
2 x S30	
1 x S21	
1 x S19	
2 x DK06 (Optional)	


A06 CABIN

GLASS PREPARATION



TOP VIEW DETAIL







2 x SH47 (Optional)	
2 x SH48 (Optional)	
1 x HL38	
1 x HL34	
1 x GT02	
2 x S30	
1 x S21	
1 x S19	
1 x GG15	
2 x DK06 (Optional)	

A16 CABIN

GLASS PREPARATION



TOP VIEW DETAIL





A0



BO | HINGED SHOWER CABIN SERIES









B01 CABIN

- OPTIONAL **U** GG15, GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness
- Alu - PVC
PVC

GLASS PREPARATION



TOP VIEW DETAIL






B02 CABIN


•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

Alu - PVC
PVC


GLASS PREPARATION



TOP VIEW DETAIL




B0




B05 CABIN

- OPTIONAL **U** GG15, GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

GLASS PREPARATION



TOP VIEW DETAIL





•OPTIONAL **U** GG15,GG14, GG19 for **8mm** Glass Thickness
GG03 for **10mm** Glass Thickness

Technical drawing of a 90-degree corner bracket assembly. The drawing shows two L-shaped brackets, labeled GG15 and S19, joined at a 90-degree angle. The assembly is shown in two views: a top view and a side view. The top view shows the brackets joined at a corner, with dimensions 5, D, 6, B, and 25 indicated along the horizontal axis. The side view shows the brackets joined at a corner, with dimensions 5, C, 6, and 25 indicated along the vertical axis. The brackets are labeled GG15 and S19, and the word 'FIXED' is written on the vertical part of the bracket in the side view.

PCA | SHOWER CABINS




WN | WALK-IN CABIN SERIES

Glass Thickness: 8-10mm







WN01 Cabin




WN02 Cabin



WN03 Cabin



WN04 Cabin






SM | WC PARTITIONS SERIES



POST Dimensions






SM




SM-O

Circular column OUTER Opening



Indicator lock



Clothes hook




Lock back



Corner fastener



Outer door hinge



Circular column OUTER Opening



SANDBLASTED BLACK

Outer opening door post

SM-O wc partition


Specifications:

190cm | Height door frame
13cm | Height leg
12, 18mm | Panel thickness
Aluminium | Material
Sandblasted Black, Anodized Silver, Brushed Gold | Finish


1 set include:

10pcs corner fastener, 1 set lock, 2 pcs hinge,
1 pc hook, 2 pcs 1,9m. height door frame and 13cm height leg.

ANODIZED SILVER






BRUSHED GOLD





Circular column INNER Opening

SM-I



SM-I wc partition


Specifications:

190cm | Height door frame
13cm | Height leg
12, 18mm | Panel thickness
Aluminium | Material
Sandblasted Black, Anodized Silver, Brushed Gold | Finish


1 set include:

10pcs corner fastener, 1 set lock, 2 pcs hinge,
1 pc hook, 2 pcs 1,9m. height door frame and 13cm height leg.

ANODIZED SILVER



BRUSHED GOLD





SM | LOCK SERIES



Specifications:


12, 18mm | Panel thickness

Zinc Alloy | Material

Sandblasted Black, Anodized Silver, Brushed Gold | Finish



SM series - Locks and handles




SM



ST9 | WC CUBICLE SERIES





● 1x GT01



● 6x HL36



● 3x HL34



● 1x HL40



6x HL43



4x SH46



2x BL16



3x GG15



2x GC35



2x S21




2x S19




ST9 PARTITIONS

GLASS PREPARATION



⚠ Installation with SH46 Hinge


TOP VIEW DETAIL






SA9 | WC CUBICLE SERIES






SA9 PARTITIONS

GLASS PREPARATION



 Installation
with
SH48 Hinge

TOP VIEW DETAIL






SHOWER CABIN HARDWARE LIST



stainless steel



aluminium



600cm



220cm

PCA-GT02

Guide Track Profile



220, 600cm | Length

Aluminium, Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish



SN KIT - 2 PCS EACH PRODUCT





PCA-RH18

Flat Track Roller Hanger

8-10mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish





PCA-RH18B

Flat Track Roller Hanger Support

8 - 10mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish




PCA-HL39

Flat Track - Glass Holder

8 - 10mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish




PCA-SP14

Flat Track Stop

Stainless Steel 304 | Material

Satin, Polished | Finish



PCA-HL34

Flat Track - Wall Holder

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish







NEW BOTTOM GUIDE OPTIONS for **SN** sliding shower cabins



PCA-FG05R | PCA-FG05L

Sliding glass guide



Stainless Steel 304 | Material
Satin, Black Anodize | Finish



PCA-FG06

Sliding glass guide



Stainless Steel 304 | Material
Satin, Black Anodize | Finish



PCA-FG07

Sliding glass guide



Stainless Steel 304 | Material
Satin, Black Anodize | Finish



PCA-FG10

Sliding glass guide



Stainless Steel 304 | Material
Satin, Black Anodize | Finish



PCA-FG09

Waterproof profile corner


Stainless Steel 304 | Material
Satin, Black Anodize | Finish



PCA-S37

Waterproof Bottom Track

220 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish




COMPATIBLE WITH FG09











U - profile option




Waterproof bottom track option




**PCA-HL34A****Flat Track - Glass Holder Screw**


Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**CORNER TRACK HOLDERS****PCA-HL35****90° Flat Track - Track Holder**

45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish


**PCA-HL08****135° Flat Track - Track Holder**

45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish

**PCA-HL40****Flat Track - Glass Holder**


45 kg | Max. Weight
Stainless Steel 304 | Material
Satin, Polished | Finish





PCA-FG01A | FG01B | FG01C
Floor Guide

8,10,12mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish




PCA-FG04
Floor Guide

Stainless Steel 304 | Material
 Satin, Polished | Finish



Installation with FG02 Corner





PCA-FG02
Corner Floor Guide

Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish




Installation with FG03 Corner



PCA-FG03
Corner Floor Guide

Stainless Steel 304 | Material
 Satin, Polished | Finish




**PCA-GT01****Guide Track Profile**

600cm | Length

Stainless Steel 304 | Material


Satin | Finish

**PCA-HL07****Flat Track - Wall Holder**

50 kg | Max. Weight

Stainless Steel 304 | Material


Satin | Finish

**PCA-HL05****Round Track - Glass Holder**

10mm | Glass Thickness

Stainless Steel 304 | Material


Satin | Finish




**PCA-HL04****Round Track - Glass Holder**

10mm | Glass Thickness

Stainless Steel 304 | Material

Satin | Finish





PCA-HL28




Floor Glass Holder

10mm | Glass Thickness

80 kg | Max. Weight

Stainless Steel 304 | Material

Satin, Polished | Finish



PCA-HL43

Floor Glass Holder

10mm | Glass Thickness

80 kg | Max. Weight


Stainless Steel 304 | Material

Satin, Polished | Finish




**PCA-HL44****Adjustable Wall - Track Holder**

Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**PCA-HL47****Adjustable Glass - Track Holder**


10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




GT02 + HL44 + HL47

**PCA-HL37****Glass - Track Holder**

8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**PCA-HL38****Glass - Track Holder**


8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish






GT02 + HL37 + HL38 + HL34


**PCA-HL36****Glass - Track Holder**

8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



GT02 + HL36 + HL34 + HL35









PCA-HL45

Glass - Track Holder

8,10mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



FIX GLASS INSTALLATION




PCA-HL51

Track Holder

Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish




WN03 Cabin




**PCA-BR01****Support Bar Glass - Glass**


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

**PCA-BR02****Support Bar Wall - Glass**


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

**PCA-BR03****Corner Support Bar Wall - Glass**

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish


**PCA-BR04****Corner Support Bar Wall - Glass**

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish








PCA-GG19
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG21
Cover for U Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG01
U Channel Profile
220, 300 cm | Length
8, 10 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG02
U Channel Profile
220 cm | Length
6 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG03
U Channel Profile
220, 300 cm | Length
10 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG15
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish




PCA-GG14
U Channel Profile
220, 300 cm | Length
8 mm | Glass Thickness
Aluminium | Material
Satin, Polished, Black Anodize | Finish






PCA-GG09
U Channel Profile
 220,300 cm | Length
 8, 10mm | Glass Thickness
 Aluminium | Material
 Satin, Polished, Black Anodize, Natural Anodize | Finish




PCA-GG09-8 | GG09-10
U Channel Profile Rubber
 88 m Roll | Unit
 8,10mm | Glass Thickness
 PVC | Material
 Grey | Finish




PCA-GG10
Waterproof Seal Fixing Profile
 220, 300 cm | Length
 8 mm | Seal Thickness
 Aluminium | Material
 Satin, Polished, Black Anodize | Finish





L - shape cabin magnet closing



GG18-2



GG18-1



PCA-GG18
Magnet Fixing Profile
 220, 300 cm | Length
 8 mm | Glass Thickness
 Aluminium | Material
 Satin, Polished, Black Anodize | Finish






PCA-S19

Waterproof Sealant


8mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S30

Waterproof Sealant


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S36

Waterproof Sealant


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S25

Waterproof Sealant


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S26

Waterproof Sealant


8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish



PCA-S21


Waterproof Sealant

8, 10 mm | Glass Thickness
220, 300 cm | Length
Aluminium | Material
Satin, Polished, Black Anodize | Finish







PCA-S01
Waterproof Sealant
6,8,10,12mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S02
Waterproof Sealant
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S04
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S05
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S06
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
16,25,30mm | Wing Length
PVC | Material




PCA-S07
Waterproof Sealant
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S08
Waterproof Sealant 135° Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S09
Waterproof Sealant 90° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S10
Waterproof Sealant 180° Magnet
8,10mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S11
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S12
Waterproof Sealant
6,8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S15
Waterproof Sealant Glued
6,8,10mm | Glass Thickness
220cm | Length
PVC | Material



PCA-S27
Waterproof Sealant Glued
8mm | Glass Thickness
220cm | Length
PVC | Material




PCA-S28
Waterproof Sealant 180° Magnet
8mm | Glass Thickness
220cm | Length
PVC | Material







BLACK SHOWER CABIN SEALANTS




PCA-S05-BK
Waterproof Sealant
8mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S06-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
25mm | Wing Length
PVC | Material




PCA-S07-BK
Bottom Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
8mm | Wing Length
PVC | Material




PCA-S08-BK
Waterproof Sealant 135° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S09-BK
Waterproof Sealant 90° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S10-BK
Waterproof Sealant 180° Magnet
8,10mm | Glass Thickness
300,220cm | Length
PVC | Material




PCA-S11-BK
Waterproof Sealant
10mm | Glass Thickness
300,220cm | Length
12mm | Wing Length
PVC | Material




PCA-S12-BK
Waterproof Sealant
8,10mm | Glass Thickness
300,220cm | Length
16mm | Wing Length
PVC | Material

**PCA-SH31****Glass - Wall Hinge**

10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**PCA-SH33****Glass - Wall Hinge**


10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**PCA-SH35****135° Glass - Glass Hinge**


10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish



SH35 REQUIRES 45° GLASS GRINDING



**PCA-SH36****180° Glass - Glass Hinge**

10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish

**PCA-SH37****90° Glass - Glass Hinge**

10mm | Glass Thickness
40 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished, Black Anodize | Finish





PCA-SH49

Glass - Wall Hinge

10-12mm | Glass Thickness



50 kg | Max. Weight

Brass | Material

Satin, Polished, Black Anodize | Finish



Double action 90°



PCA-SH50

Adjustable Glass - Wall Hinge

8-10mm | Glass Thickness

45 kg | Max. Weight

Brass | Material

Satin, Polished | Finish





Double action 90°

Adjustable corner from 0° to 10°



SH51 screw cover



PCA-SH51

Glass - Wall Hinge

8-10mm | Glass Thickness

45 kg | Max. Weight

Brass | Material



Satin, Polished | Finish



Hidden screw

Double action 90°



Adjustable corner from 0° to 10°



PCA-SH52
180° Adjustable Glass - Glass Hinge
 8-10mm | Glass Thickness
 45 kg | Max. Weight
 Brass | Material
 Satin, Polished | Finish

Double action 90°
 Adjustable corner from 0° to 10°



HIDDEN SCREWS - MINIMAL VIEW



Sliding cover



PCA-SH53
Glass - Wall Hinge
 8-10mm | Glass Thickness
 45 kg | Max. Weight
 Brass | Material
 Satin, Polished | Finish



PCA-SH54
180° Glass - Glass Hinge
 8-10mm | Glass Thickness
 45 kg | Max. Weight
 Brass | Material
 Satin, Polished | Finish


**PCA-SH45****Glass - Wall Hinge**

10mm | Glass Thickness


40 kg | Max. Weight

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish



Glass Cut


**PCA-SH46****Glass - Glass Hinge**

10mm | Glass Thickness


40 kg | Max. Weight

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish



Glass Cut


**PCA-SH47****Glass - Wall Hinge**

10mm | Glass Thickness


40 kg | Max. Weight

Stainless Steel 304 | Material

Satin, Polished, Black Anodize | Finish





Glass Cut






Glass Cut




PCA-SH48
Glass - Glass Hinge
 10mm | Glass Thickness
 40 kg | Max. Weight
 Stainless Steel 304 | Material
 Satin, Polished, Black Anodize | Finish



PIVOT GLASS DOOR HINGE




PCA-SH20
Top or Bottom Mount Pivot Hinge
 8-10mm | Glass Thickness
 45 kg | Max. Weight
 Brass | Material
 Satin, Polished | Finish






Glass Cut

minimum distance
from the edge of
glass.





minimum distance
from the edge of
glass.



**HYDRAULIC GLASS DOOR HINGE****Glass Cut****PCA-SH55****Hydraulic Hinge**


8-14mm | Glass Thickness
 60 kg | Max. Door Weight
 95° double action | Max. Opening Angle
 240cm | Max. Door Height
 100cm | Max. Door Width
 Stainless Steel | Material
 Satin, Polished | Finish

**Glass Cut****PCA-SH56****Hydraulic Hinge**


8-14mm | Glass Thickness
 60 kg | Max. Door Weight
 95° double action | Max. Opening Angle
 240cm | Max. Door Height
 100cm | Max. Door Width
 Stainless Steel | Material
 Satin, Polished | Finish




- Set of 1 spring hinge and 1 hydraulic hinge.
- The spring glass hinge is for restoring, hydraulic glass hinge is for soft closing, speed adjustable.
- 90° - 95° hold open function is optional.
- Easy installation, the installation method is same as normal glass hinge.
- Excellent durability, precision manufacturing technology.




Glass Cut

**PCA-GC31**
Glass - Wall Clamp


10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut

**PCA-GC33**
Glass - Wall Clamp


10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut

**PCA-GC35**
90° Glass - Glass Clamp


10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut

**PCA-GC36**
135° Glass - Glass Clamp

10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished | Finish




Glass Cut

**PCA-GC37**
180° Glass - Glass Clamp


10mm | Glass Thickness
30 kg | Max. Weight
Zinc Alloy, Stainless Steel 304 | Material
Satin, Polished | Finish

**PCA-GC40****Glass - Wall Clamp**


8,10mm | Glass Thickness
30 kg | Max. Weight
Brass | Material
Satin, Polished | Finish

**PCA-GC41****Adjustable 90°-180° Glass Clamp**


6-10mm | Glass Thickness
30 kg | Max. Weight
Brass | Material
Satin, Polished | Finish


**PCA-GC42 L****Wall Mount Glass Clamp**

6-10mm | Glass Thickness
30 kg | Max. Weight
Brass | Material
Satin, Polished | Finish

**PCA-GC42 R****Wall Mount Glass Clamp**

6-10mm | Glass Thickness
30 kg | Max. Weight
Brass | Material
Satin, Polished | Finish




**PCA-GC43****Glass - Glass Clamp**

10-12mm | Glass Thickness

30 kg | Max. Weight

Stainless Steel 304 | Material

Satin, Polished | Finish


**PCA-GC44****Glass - Glass Clamp**

10mm | Glass Thickness

30 kg | Max. Weight

Stainless Steel 304 | Material


Satin, Polished | Finish



Easy to install and stabilize fix glasses.

**PCA-BL15****Bolt with Indicator**


8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





Glass Cut

**PCA-BL16****Bolt with Indicator**

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish






Glass Cut






PCA-DK20
Door Knob

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



PCA-DK21
Door Knob

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish






PCA-DK22
Door Knob




8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

**PCA-DK03****Sliding Door Knob**




8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish


**Glass Cut****PCA-DK06****Sliding Door Knob**

8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish


**Glass Cut****PCA-DK08****Sliding Door Knob**

8-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Satin, Black | Finish

**Glass Cut**




Glass Cut

**PCA-DK04****Sliding Door Knob**


8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish




Glass Cut

**PCA-DK18****Sliding Door Knob**


8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish



Glass Cut

**PCA-DK19****Sliding Door Knob**




8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish

**PCA-DK13A**
Door Knob




8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish



Glass Cut

**PCA-DK13B**
Door Knob




8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish



Glass Cut

**PCA-DK14**
Door Knob




8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish




Glass Cut

**PCA-DK16**
Door Knob


8-12mm | Glass Thickness
Zinc Alloy, Brass | Material
Satin, Polished | Finish



Glass Cut




Glass Cut



PCA-DK15
Door Knob

8-12mm | Glass Thickness
 Brass | Material

  Satin, Polished | Finish




Glass Cut



PCA-DK11
Door Knob

8-12mm | Glass Thickness
 Brass | Material

 Satin | Finish



Glass Cut


PCA-DK24
Door Knob

6-12mm | Glass Thickness
 Brass | Material

   Satin, Polished, Black Anodize | Finish





PCA-HS03

Ø25mm Shower Cabin Handle

8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish



Glass Cut





PCA-HS04

Ø25mm Shower Cabin Handle

8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish



Glass Cut





PCA-HS05

Ø25mm Shower Cabin Handle

8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish



Glass Cut





PCA-HS06

Ø25mm Shower Cabin Handle


8-12mm | Glass Thickness

Stainless Steel 304 | Material

Satin, Polished | Finish




Glass Cut



Glass Cut




PCA-HS10
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut




PCA-HS08
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS07
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish



Glass Cut



PCA-HS09
25x15mm Shower Cabin Handle
8-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin, Polished | Finish

DOORS

SLIDING DOORS



MAGNA |

SLIDING DOOR SERIES

FRAMED






CEILING OPTIONS

1. CONCEALED



2. SURFACE MOUNTED TRACK



3a. WALL COVER






3b. WALL COVER







TECHNICALS



CEILING FUNCTION TYPOLOGIES



TYPLOGIES







INDEX

1		MT - 30 (2,58 - 3,28m) MT - 40 (3,28 - 4,08m) MT - 45 (4,08 - 4,88m) MT - 50 (4,88 - 5,68m) MT - 55 (5,68 - 6,48m)	SET
2		GT82-3 - 250 gr/m	Cover
3		GT82-2 - 130 gr/m	Track cover
4		GT82-1 - 80 gr/m	Track cover
5		GT20-1 - 760 gr/m	Door frame
6		GT20-2 - 450 gr/m	Door frame
7		GT20-3 - 270 gr/m	Door frame cover
8		GT20-4 - 290 gr/m	Door frame cover
9		GT20-6 - 350 gr/m	Vertical cover
10		GT20-7 - 480 gr/m	Vertical cover
11		GT88-2 - 350 gr/m	Adjust and fixed profile
12		PH05	Handle
13		GT20-SC-KIT	Screw
14		GT20-C2-KIT	Connector gasket
15		GT20-C1-KIT	Connector gasket

16		GT20-R	Rubber
17		S39	Rubber
18		GT20-7R	Anti-collision rubber
19		BRUSH 4.4	Brush
20		SCREW-01-KIT	Screw for level and rubber pad
21		GT80F-KIT	Fittings for fixed door

22		GT80S-KIT	
23		(2+2) GT80-4D-KIT GT80-4S-KIT (1+1)	

MAGNA



MAGNA |


SLIDING DOOR SERIES

FRAMELESS








TECHNICALS





TPOLOGIES



CEILING FUNCTION TPOLOGIES



INDEX





DORSA |

SLIDING DOOR SERIES

AUTOMATIC







SPECIFICATIONS

AUTOMATIC SYSTEM: **BFT by SOMFY**
DOOR GLASS THICKNESS : 8 mm tempered
FIX GLASS THICKNESS : 10 mm tempered
MAX. LOAD : 80kg
MATERIAL : Aluminium
FINISH : Black Anodize



TECHNICALS



TYPOLOGIES






D | SLIDING DOOR SERIES

FRAMELESS





SPECIFICATIONS

GLASS THICKNESS : 10 mm







MAX. LOAD : 80kg

FUNCTION : SOFTCLOSE

MATERIAL : Aluminium


FINISH : Satin, Natural Anodize & Black Anodize







TYPES



D






B | SLIDING DOOR SERIES

FRAMELESS





SLIDING DOOR SERIES | B



SPECIFICATIONS


GLASS THICKNESS : 10 mm

MAX. LOAD : 80kg


MATERIAL : Aluminium & Stainless Steel

FINISH : Satin & Natural Anodize






Skylight installation







TYPES





B




SLIDING DOOR HARDWARE LIST






PCA-GT31
Guide Track Profile
580 cm | Length
Aluminium | Material

Natural Anodize, Satin, Black | Finish





PCA-GT31-3
Guide Track Profile
580 cm | Length
Aluminium | Material

Natural Anodize, Satin, Black | Finish



PCA-RH31
Roller Hanger
40kg/piece | Max. Weight
10mm | Glass Thickness
Stainless Steel | Material
Black | Finish




PCA-GG17
Guide Track Profile
580 cm | Length
Aluminium | Material


Natural Anodize, Satin, Black | Finish




PCA-RH08
Roller Hanger
 40kg | Max. Weight
 10mm | Glass Thickness
 Stainless Steel | Material
 Satin | Finish




Glass Cut




PCA-RH09
Roller Hanger
 40kg | Max. Weight
 10mm | Glass Thickness
 Stainless Steel | Material
 Satin | Finish




Glass Cut




PCA-SP06
Stop
 PVC | Material
 White | Finish




PCA-HL16
Track-Glass Holder
 20kg | Max. Weight
 10mm | Glass Thickness
 Stainless Steel | Material
 Satin | Finish




Glass Cut




PCA-FG08
Floor Guide
 8,10,12mm | Glass Thickness
 Stainless Steel | Material
 Satin | Finish




PCA-HL18
Track Holder
 PVC | Material








PCA-HL17
Track Holder
PVC | Material




PCA-GT04
Guide Track Profile
580 cm | Length
1,248kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-GT05
Guide Track Profile
580 cm | Length
1,802kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-GT06
Guide Track Profile
580 cm | Length
1,505kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish



PCA-HL15
Guide Track Fixing Profile
120 mm | Length
0,915kg | Weight/meter
Aluminium | Material
Satin | Finish





PCA-DK08

Sliding Door Knob

8-12mm | Glass Thickness

Aluminium, Stainless Steel 304 | Material

Satin, Black | Finish



Glass Cut






PCA-DL09

Sliding Door Lock

8,10mm | Glass Thickness

Stainless Steel | Material

Satin | Finish



Glass Cut





PCA-DL09B

Sliding Door Lock

8,10mm | Glass Thickness

Stainless Steel | Material

Satin | Finish



Glass Cut




PCA-PH01
Door Handle


8,10mm | Glass Thickness

Aluminium | Material


Natural Anodize, Satin, Black | Finish





Including Very Hi-Bond Adhesive Tape





PCA-PH04
Sliding Door Handle
 Aluminium | Material
 Black | Finish



PCA-PH06
Sliding Door Handle
 Aluminium | Material
 Black | Finish



**PCA-PH09****Sliding Door Handle**

Aluminium | Material
Black | Finish

**PCA-HD13****Door Handle 38x25 mm**

10 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish







PCA-HD01
Door Handle Ø38mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	



Glass Cut

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm

PCA-HD03**Door Handle 25x38 mm**

10 mm | Glass Thickness

Stainless Steel 304 | Material

Satin | Finish



HD06





HD06A

PCA-HD06**Door Lock - Handle Ø35mm**



10-12 mm | Glass Thickness

Stainless Steel 304 | Material

Satin | Finish



Glass Cut



Glass Cut

**PCA-HD14****Door Lock - Handle Ø35mm**

10-12 mm | Glass Thickness

Stainless Steel 304 | Material



Satin | Finish

DOORS

OPENING DOORS



A2 DOOR



SPECIFICATIONS


GLASS THICKNESS : 8mm, 10 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium



FINISH : Natural Anodize, Satin & Black Anodize







A2

GT11 and GT11 with GT11B Frame Section Details





A3 DOOR



SPECIFICATIONS


GLASS THICKNESS : 8mm, 10 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium


FINISH : Natural Anodize, Satin & Black Anodize







A3

GT13 and GT13 with GT11B Frame Section Details





A4 DOOR



SPECIFICATIONS


GLASS THICKNESS : 8mm, 10 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium

FINISH : Natural Anodize, Satin & Black Anodize






Only for Glass Installation


A4

GT12 Frame Section Details






A5 DOOR



GT60 | 105-160mm



SPECIFICATIONS


GLASS THICKNESS : 10 mm tempered

WALL THICKNESS: 105-160mm

MATERIAL : Aluminium



FINISH : Natural Anodize, Satin & Black Anodize






A5

GT60 Frame Section Details






A6 DOOR



GT62 | 90-150mm



SPECIFICATIONS


GLASS THICKNESS : 8mm, 10 mm tempered

WALL THICKNESS: 91-150mm


MATERIAL : Aluminium

FINISH : Natural Anodize







GT62 Frame Section Details





A22 DOOR



SPECIFICATIONS


GLASS THICKNESS : 6mm, 8 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium




FINISH : Natural Anodize, Satin & Black Anodize







A22

GT11 | GT11-GT11B Frame | GT14 Door Section Details





A23 DOOR



SPECIFICATIONS


GLASS THICKNESS : 6mm, 8 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium

FINISH : Natural Anodize, Satin & Black Anodize







For 1 Door **GT13-GT14** required **1** set GT13 KIT

For 1 Door **GT13-GT11B-GT14** required **2** sets GT13 KIT


A23

GT13 Frame | GT14 Door Section Details





A24 DOOR



SPECIFICATIONS


GLASS THICKNESS : 6mm, 8 mm tempered

Min. WALL THICKNESS: 45mm

MATERIAL : Aluminium



FINISH : Natural Anodize, Satin & Black Anodize






A24

GT12 Frame | GT14 Door Section Details





A25 DOOR



SPECIFICATIONS

GLASS THICKNESS : 8 - 12 mm tempered


WALL THICKNESS: 105-160mm

MATERIAL : Aluminium

FINISH : Natural Anodize, Satin & Black Anodize




A25-W WOODEN LEAF



A25

GT12 Frame | GT14 Door Section Details





A20

SERIES
DOUBLE DOOR









TECHNICALS


A22 Double




A23 Double



A24 Double




A25 Double





TYPES





A20

OFFICE

PARTITIONS



A9 | PARTITION SERIES




SPECIFICATIONS

GLASS THICKNESS : 8 - 10 mm


MATERIAL : Aluminium

FINISH : Natural Anodize, Satin & Black Anodize






For GG06 Frame and GT12 Door required
1xGG06 KIT and 1xGG12 KIT and 1xGT12 KIT





A9

TYPES





A11 | PARTITION SERIES




SPECIFICATIONS

GLASS THICKNESS : 8 - 10 mm

MATERIAL : Aluminium

FINISH : Natural Anodize, Satin & Black Anodize





A11


TYPES






A10 |

PARTITION SERIES










INSTALLATION DETAILS

For 1 **GG08** Frame with **GT12** door required 1 PCA-GG08 KIT




GG08-1 fixing with GT12






A10

INSTALLATION DETAILS






FRAMES AND HARDWARE LIST



DOORS & OFFICE PARTITIONS


**PCA-GT11****Door Frame Profile**

580cm | Length

0,822kg | Weight/meter

Aluminium | Material

Natural Anodize, Satin, Black Anodize | Finish


**PCA-GT13****Door Frame Profile**

580cm | Length

0,887kg | Weight/meter

Aluminium | Material

Natural Anodize, Satin | Finish


**PCA-GT11B****Door Frame Alignment Profile**

580 cm | Length

0,307kg | Weight/meter

Aluminium | Material

Natural Anodize, Satin | Finish

**PCA-GT12****Door Frame Profile**


580 cm | Length



10mm | Glass Thickness

1,447kg | Weight/meter

Aluminium | Material



Natural Anodize, Satin, Black Anodize | Finish





PCA-GT60
Door Frame Profile

580cm | Length
2,373 kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish



PCA-GT62
Door Frame Profile

580cm | Length
1,657 kg | Weight/meter
Aluminium | Material
Natural Anodize | Finish




GT62-2



GT62-3





GT62-1



GG06-1


GG06-2

GG06-3




PCA-GG06
Partition Profile

580 cm | Length
10mm | Glass Thickness
1,960kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish



GG12-1

GG12-2



PCA-GG12
Door Frame Profile



580cm | Length
kg | Weight/meter
10mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish







PCA-GG08 Partition Profile

580cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish





PCA-GG08-U Partition Profile

350cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish





PCA-GG08-S Partition Profile


580cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish



PCA-GG08-C Partition Profile


350cm | Length
8,10,12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish






GG08-9

12pcs / SET




GG08-6U

10pcs / SET




GG08-5

12pcs / SET



Glass Support | 2PCS / Panel

GG08-8



GG08C

GG08-U Connection

**PCA-GT14****Door Frame Track**

0,947 | Weight/meter

580 cm | Length


6-8mm | Glass Thickness

Aluminium | Material


Natural Anodize, Satin, Black Anodize | Finish

**6mm glass**

S35 polycarbonate

**8mm glass**

No polycarbonate

**PCA-GT24****Door Frame Track**

1,049 | Weight/meter

580 cm | Length


8-12mm | Glass Thickness

Aluminium | Material


Natural Anodize, Satin, Black Anodize | Finish

**8mm glass**


S38 polycarbonate

**10mm glass**

S38 polycarbonate

**12mm glass**

S38 polycarbonate

**PCA-GT34****Door Frame Track**

1,631 | Weight/meter

350 cm | Length


8-12mm | Glass Thickness

Aluminium | Material


Natural Anodize, Satin, Black Anodize | Finish

**8mm glass**



S38 polycarbonate

**10mm glass**

S38 polycarbonate

**12mm glass**

S38 polycarbonate

Compatible with **drop seal WB02** and **door closer DC03**.**PCA-GT14-2****GT14 frame for double door**

1,490 | Weight/meter

350 cm | Length


6-8 mm | Glass Thickness

Aluminium | Material


Natural Anodize, Satin, Black Anodize | Finish

**6mm glass**

S35 polycarbonate


**8mm glass**

No polycarbonate




PCA-GT16-1
Cross Profile


350cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE


PCA-GT16-2
Cross Profile


350cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish



OPTIONAL
TESA TAPE


PCA-GT16-4
Cross Profile


580cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black | Finish



OPTIONAL
TESA TAPE


PCA-GT16-5
Cross Profile



580cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black | Finish





OPTIONAL
TESA TAPE



PCA-GT14-H
Cross Profile

580cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black | Finish



PCA-GT24-H
Cross Profile

580cm | Length
 Aluminium | Material
 Natural Anodize, Satin, Black | Finish





Space for cables




LED

PCA-GG16
Nesting Board
0,947 | Weight/meter
440 cm | Length
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish

Nesting Baseboard


Removable Area for
LED Installation





PCA-S31 | S32 | S33 | S34
Clear Joint Strips
320cm | Length
10mm | Glass Thickness
PVC | Material
Extra Clear | Finish


12mm or 12,76mm
glass thickness

Including Transparent Acrylic Double- Sided Hi-Bond Adhesive Tape





Glass Cut




**PCA-DH12
Door Hinge**

10mm | Glass Thickness

50 kg | Max. Load

Aluminium | Material

Natural Anodize, Satin, Black | Finish



Glass Cut

**PCA-DH13
Door Hinge**

10mm | Glass Thickness


50 kg | Max. Load



Aluminium | Material

Natural Anodize, Satin, Black | Finish





DH12 and DH13 Hinges can be installed with all door frame profiles.


**PCA-DH-2D
Door Hinge 2D Adjustment Plate**
Stainless Steel 304 | Material

**PCA-DH16**
Door Hinge



6-10mm | Glass Thickness
 36 kg | Max. Load
 Aluminium | Material
 Natural Anodize, Black | Finish

**PCA-DH17**
Door Hinge

6-10mm | Glass Thickness
 36 kg | Max. Load
 Aluminium | Material
 Natural Anodize, Black | Finish



**PCA-DL09A**
DL04 Strike Plate

Aluminium | Material
 Natural Anodize, Satin, Black Anodize | Finish

**PCA-DL34**
Ball catcher for frameless and framed doors.



Aluminium | Material
 Satin, Black Anodize | Finish





PCA-DL40
Frameless Door Lock

8-12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish





PCA-DL41
Frameless Door Lock

8-12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish




Glass Cut



PCA-DL40A
Door Lock Counter Plate

8-12mm | Glass Thickness
Aluminium | Material
Natural Anodize, Satin, Black Anodize | Finish





**PCA-DL05****Frameless Door Lock**

10mm | Glass Thickness

Aluminium | Material


Natural Anodize, Black Anodize | Finish

**PCA-DL05A****Door Lock Counter Plate**

10mm | Glass Thickness

Aluminium | Material


Natural Anodize, Black Anodize | Finish


**PCA-GT14-DL4****Framed Door Lock**

8-12mm | Glass Thickness

Aluminium | Material

Natural Anodize, Black Anodize | Finish







PCA-WB05
Drop Seal
 80cm, 100cm | Length
 Aluminium/EPDM | Material



PCA-WB04
Drop Seal (GT34)
 80cm, 100cm | Length
 Aluminium/EPDM | Material



PCA-WB03
Drop Seal (Frameless door)
 100cm | Length
 Aluminium/EPDM | Material



PCA-SP16
Floor Stop
 Stainless Steel 304 | Material
 Satin | Finish

FACADES




WR1 | FACADE SERIES






TPOLOGIES


WR100




WR101




WR102




WR103




WR104




WR105



WR106



WR107



FH01



FH02



ML01



KZ01



DL23



FH03



FH04



GC19



HD03A
(Optional)

WR1

DESCRIPTION:

-Material SS304 Satin
-Fit for 10 - 12mm tempered glass




WR2 | FACADE SERIES







TYPES




WR200




WR201




WR202




WR203




WR204



WR205



WR206



WR207



FH26



FH27



ML03



KZ02



DL27



FH28



FH29



FH22



HD03A
(Optional)

WR2

DESCRIPTION:

-Material SS304 Satin
-Fit for 10 - 12mm tempered glass




WS1 | FACADE SERIES





TYPES




WS100

WS101

WS102

WS103



WS104

WS105

WS106

WS107



FH12-A



FH13



ML03



KZ01



DL21

WS1



FH11



FH10



FH15



HD01A
(Optional)


DESCRIPTION:

-Material SS304 Satin
-Fit for 10 - 12mm tempered glass




ML03

FH30 Top




FH30 Bottom



PCA-FH30

Facade Top & Bottom Fitting SET

8-12mm | Glass Thickness
60 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish



1 x FH30 SET
top & bottom





1 x ML03



1 x DL27



1 x HD03A
(Optional)



Glass Cut

DESCRIPTION:

- Material SS304 Satin
- Fit for 8-12mm tempered glass
- Max width 1000mm, Max weight capacity 60 kg
- 4° alignment adjustment
- Max open at 150 degree, hold open at 90 degree
- 1,6 cm adjustment
- Durability 500.000 cycles testing





HYDRAULIC GLASS DOOR HINGE



PCA-FH31

Hydraulic Hinge

8-14mm | Glass Thickness
100 kg | Max. Door Weight
95° double action | Max. Opening Angle
240cm | Max. Door Height
100cm | Max. Door Width
Stainless Steel | Material
Satin | Finish




-Compatible with upper patch **FH02** or **FH27**




DESCRIPTION:

- Material SS304 Satin
- Fit for 8-14mm tempered glass
- Max width 1000mm, Max weight capacity 100 kg
- Two speed adjustment
- Max open at 150 degree, hold open at 90 degree
- Durability 500.000 cycles testing




W1 | FACADE SERIES





W1



PCA-GG07
Partition Profile
580 cm | Length
10-12mm | Glass Thickness
1,747kg | Weight/meter
Aluminium | Material
Natural Anodize, Satin | Finish





With regular arm and fire oil

PCA-DC01
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish






With sliding arm

PCA-DC02
Door Closer Mechanism
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish





With sliding arm

PCA-DC03
Concealed Door Closer
80 kg | Max. Weight
Stainless Steel 304 | Material
Natural Anodize | Finish







PCA-FH01
Facade Bottom Fitting
 10-12mm | Glass Thickness
 60 kg | Max. Weight
 Aluminium, Stainless Steel 304 | Material
 Natural Anodize, Satin | Finish



Glass Cut





PCA-FH02
Facade Top Fitting
 10-12mm | Glass Thickness
 Aluminium, Stainless Steel 304 | Material
 Natural Anodize, Satin | Finish



Glass Cut





PCA-FH03
Facade Top Fitting
 10-12mm | Glass Thickness
 Aluminium, Stainless Steel 304 | Material
 Natural Anodize, Satin | Finish



Glass Cut





PCA-FH04
Facade Top Fitting
 10-12mm | Glass Thickness
 Aluminium, Stainless Steel 304 | Material
 Natural Anodize, Satin | Finish




Glass Cut



PCA-FH04A
Facade Top Fitting
 10-12mm | Glass Thickness
 Aluminium | Material
 Natural Anodize, Satin | Finish




Glass Cut




**PCA-FH26
Facade Bottom Fitting**

10-12mm | Glass Thickness
80 kg | Max. Weight
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish




**PCA-FH27
Facade Top Fitting**

10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish



**PCA-FH28
Facade Top Fitting**

10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish





**PCA-FH29
Facade Top Fitting**



10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

**PCA-DL21
Door Lock**




10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

**Glass Cut****PCA-DL23
Door Lock**



10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish

**Glass Cut****PCA-DL27
Door Lock**



10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish

**Glass Cut**


**PCA-DL25
Additional Door Lock**
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

MAGNETIC PIN



**PCA-BL12
Magnetic Door Lock**
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

MAGNETIC PIN**Glass Cut**

**PCA-BL13
Magnetic Door Lock**
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut





PCA-GC18 Glass - Wall Clamp

25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish




Glass Cut





PCA-GC19 Glass - Glass Clamp

25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish




Glass Cut





PCA-GC19B Glass - Glass Clamp

25 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



Glass Cut




PCA-FH22 Glass - Glass Fitting

25 kg | Max. Weight
10-12mm | Glass Thickness
Aluminium, Stainless Steel 304 | Material
Natural Anodize, Satin | Finish




PCA-KP01 Floor Socket

Stainless Steel 304 | Material
Satin | Finish





PCA-KP03 Floor Socket

Stainless Steel 304 | Material
Satin | Finish








PCA-FC06
90° Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-FC07
90° Glass - Wall Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-FC08
Glass - Glass Clamp
10-12mm | Glass Thickness
40 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish







PCA-SP11
Stop
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



PCA-SP12
Stop
Stainless Steel 304 | Material
Satin | Finish









PCA-FH12-A | FH12-B
Bottom Patch Fitting
100 kg | Max. Weight
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Bottom




Glass Cut




PCA-FH13
Top Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish


Bottom




Glass Cut




PCA-FH10L
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut




PCA-FH10R
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut





PCA-FH11
Patch Fitting
10-12mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




Glass Cut





PCA-FH15
Patch Fitting


10-12mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish


PCA-FC09
Top Patch Fitting



10-12mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish


PCA-FC10
Patch Fitting

10-12mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



SP10B




SP10


PCA-SP10
Floor Stop


Stainless Steel 304 | Material
 Satin | Finish




PCA-ML01
Top Pivot Ø12mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-ML03
Top Pivot Ø15mm
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-KZ01
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-KZ02
Bottom Pivot
50 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish







A

B




PCA-650 Floor Spring

100 kg | Max. Weight
950mm | Max. Width
Opening Angle 130°, Stop Angle 90° | Opening Angle
Stainless Steel 304 | Material
Satin | Finish




A

B




PCA-840 Floor Spring

120 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




B



PCA-800 Floor Spring


300 kg | Max. Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-HD01
Door Handle Ø38mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish

AVAILABLE DIMENSIONS

	HEIGHT	C-C-D	C-C-W
HD01A	60cm	36cm	
HD01B/HD01BW	80cm	50cm	62,5cm
HD01C/HD01CW	100cm	60cm	82,5cm
HD01D/HD01DW	120cm	80cm	90cm
HD01E/HD01EW	150cm	100cm	102,5cm
HD01F/HD01FW	180cm	120cm	130cm
HD01G	200cm	140cm	
HD01H	50cm	23cm	




Glass Cut




PCA-HD03
Door Handle 25x38 mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish

AVAILABLE DIMENSIONS


	HEIGHT	C-C-D
HD03A	64cm	60cm
HD03B	104cm	100cm
HD03C	144cm	140cm
HD03D	36cm	32cm




Glass Cut





PCA-HD13
Door Handle 38x25 mm
 10 mm | Glass Thickness
 Stainless Steel 304 | Material
 Satin | Finish



PCA-BL08
Glass-Glass Bolt
 10,12 mm | Glass Thickness
 Zinc Alloy | Material
 Satin | Finish



PCA-BL08S
Wall-Glass Bolt
 10,12 mm | Glass Thickness
 Zinc Alloy | Material
 Satin | Finish




Glass Cut




PCA-HD14
Door Lock - Handle Ø35mm
10-12 mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-S13
Brush Waterproof Seal
 10,12mm | Glass Thickness
 220, 250, 300, 350 cm | Length
 PVC | Material




PCA-S14
Brush Waterproof Seal
 10 mm | Glass Thickness
 250 cm | Length
 PVC | Material




PCA-S14A
Brush Waterproof Seal
 10 mm | Glass Thickness
 250 cm | Length
 PVC | Material




PCA-S17
Waterproof Seal
 8,10mm | Glass Thickness
 220 cm | Length
 PVC | Material



PCA-S18
Waterproof Seal
 10,12mm | Glass Thickness
 250, 300, 400cm | Length
 PVC | Material



PCA-S20
Brush Waterproof Seal
 10mm | Glass Thickness
 280 cm | Length
 Aluminium | Material
 Natural Anodize | Finish



SPIDERS




S1 | SPIDER GLAZING SERIES









S2 | SPIDER GLAZING SERIES









PCA-SD01
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-SD01A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-SD02A
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish




PCA-SD02B
Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish





PCA-SD03
Threefold Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish







PCA-SD04
Fourfold Spider Fitting
100kg | Weight
Stainless Steel 304 | Material
Satin | Finish

Glass Preparation




PCA-SD05
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass Preparation




PCA-SD06
Spider Fitting
150kg | Weight
10-20mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



SD05

WALL INSTALLATION




SD06




PCA-SD07 Spider Fitting

150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin | Finish




Glass Preparation





PCA-SD08 Spider Fitting

150kg | Weight
10-20mm | Glass Thickness
Ø20 | Glass Preparation
Stainless Steel 304 | Material
Satin | Finish




Glass Preparation






**PCA-HN03
Spider Head Fitting**

150kg | Weight
18-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



**PCA-HN04
Spider Head Fitting**

150kg | Weight
10-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





**PCA-HN05
Spider Head Fitting**

150kg | Weight
12-25mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





PCA-SS01
Spider Fitting

150kg | Weight
Stainless Steel 304 | Material
Satin | Finish



PCA-SS02
Spider Screw Fitting





100kg | Weight
Stainless Steel 304 | Material
Satin | Finish



RAILINGS



M2 | RAILING BASE



Profile Holes

Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM01A	Aluminium	Satin	5800	2,724	0,7	1	11,52 - 13,52
GM01A	Aluminium	Natural Anodize	5800	2,724	0,7	1	11,52 - 13,52

System components

11,52	Glass Thickness	GM01A-10A	GM01-16B	GM01A-10C	GM02SF-10
13,52	Glass Thickness	GM01A-12A	GM01-20B	GM01A-12C	GM02SF-12


Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM01AEC (OPTIONAL)
30m Roll Unit		14m Roll Unit			





M3 | RAILING BASE



Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM03	Aluminium	Satin	5800	3,934	0,9	1	13,52 - 17,52 - 21,52
GM03	Aluminium	Natural Anodize	5800	3,934	0,9	1	13,52 - 17,52 - 21,52

System components

13,52	Glass Thickness	GM01-14A	GM01-12B	GM01-14C	GM01SF-12
17,52	Glass Thickness	GM01-16A	GM01-16B	GM01-16C	GM01SF-16
21,52	Glass Thickness	GM01-20A	GM01-20B	GM01-20C	GM01SF-20


Sets/bar

Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM03EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			





M25 | RAILING BASE



Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (Kg/m)	Glass Thickness
GM17	Aluminium	Satin	5800		1,1	300	21,52
GM17	Aluminium	Natural Anodize	5800		1,1	300	21,52

System components


21,52 Glass Thickness	GM16-20A 	GM16-20B 	GM16SF 	GM16-L 
------------------------------	---	---	--	---

Sets/bar

				
Length: 6m	Length: 6m	12 pieces	2X10 pieces	15 pieces
30m Roll Unit				



M26 | RAILING BASE



BS6180-2011 STANDARD





Dimensions

L	W	H	A	B
5000mm	65mm	127mm	100mm	200mm


Profile data

Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM18	Aluminium	Natural Anodize	5800	7	1,1	1	17,52 - 21,52
GM18	Aluminium	Satin	5800	7	1,1	1	17,52 - 21,52








Sets/bar					
					
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	23 pieces	GM08EC (OPTIONAL)
30m Roll Unit		14m Roll Unit			



M23 | RAILING BASE



Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM15	Aluminium	Satin	5800	3,77	1	1	17,52
GM15	Aluminium	Natural Anodize	5800	3,77	1	1	17,52

System components

17,52	Glass Thickness	DG05 	GM01-20B 	GM15SF-16 	GM15-16C 
-------	-----------------	--	--	--	--


Sets/bar

					
Length: 6m	Length: 6m	2X10 pieces	2X10 pieces	23 pieces	GM15EC (OPTIONAL)
30m Roll Unit					





M13 | RAILING BASE



Profile Holes


Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM06	Aluminium	Satin	5800	8,669	1,1	1	13,52 - 17,52 - 21,52
GM06	Aluminium	Natural Anodize	5800	8,669	1,1	1	13,52 - 17,52 - 21,52

System components

13,52	Glass Thickness	GM01-12A 	GM01-12B 	GM01-12C 	GM01SF-12 
17,52	Glass Thickness	GM01-16A 	GM01-16B 	GM01-16C 	GM01SF-16 
21,52	Glass Thickness	GM01-20A 	GM01-20B 	GM01-20C 	GM01SF-20 


Sets/bar

						
Length: 6m	Length: 6m	Length: 6m	2X10 pieces	15 pieces	14 pieces	GM06EC (OPTIONAL)
30m Roll Unit		14m Roll Unit				





M20 | RAILING BASE



Profile data


Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM14	Aluminium	Satin	5800	5,290	1,1	1	17,52 - 21,52
GM14	Aluminium	Natural Anodize	5800	5,290	1,1	1	17,52 - 21,52

System components

17,52	Glass Thickness	GM14-16		GM01-20B		5mm adjustment block	GM11SF	
21,52	Glass Thickness	GM14-20		GM01-20B		5mm adjustment block	GM11SF	


Sets/bar

Length: 6m	Length: 6m	12 pieces	2X10 pieces	15 pieces	14 pieces	GM14EC (OPTIONAL)
30m Roll Unit						







M16 | RAILING BASE



Profile data


Product Code	Material	Finish	Max Width (mm)	Weight (kg/m)	Max Height (m)	Max Load (KN)	Glass Thickness
GM05-1	Aluminium	Satin	2900	1,358	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-1	Aluminium	Natural Anodize	2900	1,358	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-2	Aluminium	Satin	2900	0,580	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-2	Aluminium	Natural Anodize	2900	0,580	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-3	Aluminium	Satin	2900	0,618	1,1	1	11,52 - 13,52 - 17,52 - 21,52
GM05-3	Aluminium	Natural Anodize	2900	0,618	1,1	1	11,52 - 13,52 - 17,52 - 21,52

Sets/bar






STEP 1




STEP 2






M24 | CONCEALED RAILING BASE



Profile data




Product Code	Material	Finish	Length (mm)	Weight (kg/m)	Max Height (m)	Max Load (Kg/m)	Glass Thickness
GM16	Aluminium	Satin	5800		1,1	300	21,52
GM16	Aluminium	Natural Anodize	5800		1,1	300	21,52

System components

21,52 Glass Thickness	GM16-20A 	GM16-20B 	GM16SF 	GM16-L 
------------------------------	---	---	--	---

Sets/bar

				 15X136
Length: 6m	Length: 6m	12 pieces	2X10 pieces	15 pieces
30m Roll Unit				








M27 | TOP MOUNTED POST RAILING BASES



INSTALLATION












M28 | LATERAL MOUNTED POST RAILING BASES



INSTALLATION









M29 | TOP MOUNTED POST RAILING BASES



INSTALLATION








M30 | TOP MOUNTED POST RAILING BASES



HANDRAIL



BS6180:2011 STANDARD



INSTALLATION




End Post




Middle Post



Corner Post




End




Middle





External Corner



Internal Corner







M31


**TOP MOUNTED
MINI - POST RAILING**



Profile data						
Product Code	Material	Finish	Height	Glass Max Height (m)	Max Load (KN)	Glass Thickness
BM20	Aluminium	Satin	650mm	1,1	0,5	11,52 - 13,52




M9 | RAILING SYSTEM




Profile data

Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM12	Aluminium	Satin	2,242	1,1	1	13,52 - 17,52 - 21,52





M21 | RAILING SYSTEM




Profile data

Product Code	Material	Finish	Weight (kg/pc)	Max Height (m)	Max Load (KN)	Glass Thickness
BM13	Stainless Steel 304	Satin	1,608	1,1	1	11,52 - 13,52

Product components

11,52	Glass Thickness	4 pieces	
13,52	Glass Thickness	4 pieces	



Max Dimensions						
	10mm			12mm		
H[mm]	900	1000	1100	900	1000	1100
D[mm]	800	700	600	800	700	600






M6 | LATERAL POINT FIXING SERIES







PCA-AN13
Ø60 Adjustable Anchor Spacer
16,20mm | Glass Thickness
120cm | Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish




PCA-AN12
Ø48 Adjustable Anchor Spacer
10-20 mm | Glass Thickness
120cm | Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish





PCA-AN01 | AN02 | AN03 | AN04 Ø48 Anchor Spacer

10-20 mm | Glass Thickness
120cm | Max. Height
1KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish




AN04 available also in SS316


Ø 16 GLASS HOLE

Ø 16 GLASS HOLE


PCA-AN05 | AN06 | AN07 | AN08 Ø38 Anchor Spacer

10-20 mm | Glass Thickness
120cm | Max. Height
0.5 KN | Max.Load
Stainless Steel 304 | Material
Satin | Finish






PCA-AN14 | AN15
Anchor Spacer
10-20 mm | Glass Thickness
1kN | Max.Load
Stainless Steel 304 | Material
Polished | Finish




Glass Thickness		AN01-AN04			AN05-AN08			AN12			
16mm	H[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	H[mm]
	C[mm]	125	150	150	125	150	150	125	150	150	C[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	D[mm]
20mm	H[mm]	1000	1100	1200	1000	1100	1200	1000	1100	1200	H[mm]
	C[mm]	100	125	150	100	125	150	100	125	150	C[mm]
	D[mm]	900	900	800	900	900	800	900	900	800	D[mm]




M7 | LATERAL POINT FIXING SERIES






NO HOLES REQUIRED BETWEEN 2 GLASSES



Glass Thickness	BM07			
16mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600
20mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600


PCA-BM07
Lateral Base
 16,20 mm | Glass Thickness
 120cm | Max. Height
 1KN | Max.Load
 Stainless Steel 304 | Material
 Satin | Finish






M8 | LATERAL POINT FIXING SERIES






Glass Thickness	AN11			
16mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600
20mm	H[mm]	1000	1100	1200
	D[mm]	800	700	600



PCA-AN11
5 Axes Adjustable Double Anchor Spacer
 10-20 mm | Glass Thickness
 1KN | Max. Load
 Stainless Steel 304 | Material
 Satin | Finish

**PCA-K002****Handrail Profile**

16,20 mm | Glass Thickness
1,368 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K002-16A




K002-20A

Railing Profile Fixing Rubber
30m Roll | Unit

**PCA-K002A****Handrail Profile**

12, 16 mm | Glass Thickness
0,903 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K002A-12A




K002A-16A

Railing Profile Fixing Rubber
30m Roll | Unit

**PCA-K003A****Handrail Profile**

12,16 mm | Glass Thickness
0,729 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish



K003A-12A




K003A-16A

Railing Profile Fixing Rubber
30m Roll | Unit

**PCA-K004****Handrail Profile**

16 mm | Glass Thickness
1,442 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish




K004-16A

Railing Profile Fixing Rubber
30m Roll | Unit

**PCA-K005****Handrail Profile**

10-20 mm | Glass Thickness
0,283 kg | Weight/meter
580 cm | Length
Aluminium | Material
Natural Anodize, Satin | Finish





PCA-GC60
Glass clips

13-21,52 mm | Glass Thickness
Aluminium | Material
Satin | Finish



PCA-GC61
Glass clips

13-21,52 mm | Glass Thickness
Aluminium | Material
Satin | Finish



PCA-GC62
Glass clips

13-21,52 mm | Glass Thickness
Aluminium | Material
Satin | Finish

INOX RAILINGS



NX | TOP INOX RAILING SERIES





TOP and LATERAL MOUNTED INOX RAILINGS

NX100

NX100A (Lateral)



Round Shape Balustrade

100 cm | Length
INOX 304, INOX 316 | Material
Satin, Polished | Finish



NX101

NX101A (Lateral)



Square Shape Balustrade

100 cm | Length
INOX 304, INOX 316 | Material
Satin, Polished | Finish





TOP and LATERAL MOUNTED INOX RAILINGS



NX200 **NX200A (Lateral)**

Ø42,4



Round Shape Balustrade

100 cm | Length

16 mm | Glass Thickness

INOX 304, INOX 316 | Material

Satin, Polished | Finish



NX201 **NX201A (Lateral)**

40x40



Square Shape Balustrade

100 cm | Length

16 mm | Glass Thickness

INOX 304, INOX 316 | Material

Satin, Polished | Finish




STAIRCASE





L1 | STAIRCASE SERIES












PCA-FC11
Glass Staircase Fitting
560 gr | Weight
50kg | Max Weight
16-30mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish

Glass - Glass






Wall - Glass







Glass Preparation




L 1100



L 1200



L 1300




CANOPIES




E1 | CANOPY SERIES








TYPLOGIES




System	Rod size	Glass Width [W]	Height [H]
E 1001	1000mm	800mm	910mm
E 1002	1000mm	900mm	810mm
E 1003	1000mm	1000mm	690mm
E 1251	1250mm	1150mm	890mm
E 1252	1250mm	1250mm	750mm
E 1253	1250mm	1350mm	550mm
E 1501	1500mm	1400mm	960mm
E 1502	1500mm	1500mm	800mm
E 1503	1500mm	1600mm	590mm




Satin | Finish




Paint | Finish



■ **Satin Finish**



Eating | Fiction




 Satin | Finish




E2 | CANOPY SERIES






PCA-CN01-1 **Canopy Profile**

80 kg | Weight
 21,52 mm | Glass Thickness
 350cm | Length
 Aluminium | Material
 Natural Anodize, Satin | Finish



CNC Processing

CN01-1




DESCRIPTION:

- Profile length: 3,5 m
- Maximum glass width: 110cm
- Glass thickness 10+10+1,52 tempered and laminated
- Up to 200kg load/m² excluded the glasse's weight.





E3 | CANOPY SERIES



PCA-CN02 Canopy Profile



80 kg | Weight
12,16,20mm | Glass Thickness
580cm | Length
Aluminium | Material
Natural Anodize, Satin, Mill | Finish





MISCELLANEOUS





	Heigth H	Weight W	Depth D	Size A
HR09A	34mm	40mm	24mm	17mm
HR09B	45mm	55mm	28mm	22mm
HR09C	52mm	75mm	30mm	30mm
HR09D	58mm	103mm	31mm	45mm





**PCA-HR09
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



**PCA-HR10
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR12
Glass self Hinge**
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish





**PCA-HR13
Glass self Hinge**
5-10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish



	Heigth H	Weight W	Depth D	Size A
HR18A	65mm	65mm	24mm	26mm
HR18B	80mm	78mm	26mm	32mm



**PCA-HR18
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR20
Self Holder**
5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish






**PCA-HR01 | HR02 | HR03
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish




**PCA-HR04
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





**PCA-HR05
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



**PCA-HR06
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





Glass Cut



**PCA-HR07
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





Glass Cut




**PCA-HR08
Self Holder**

5-10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish





PCA-GC20 | GC20A
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




GC20




GC20A


PCA-GC21
Clamp
10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-GC21A
Clamp
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-GC24
Clamp
8mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish



PCA-GC25
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-GC25A
Clamp
16mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish






PCA-GC27
Clamp

10mm | Glass Thickness
Aluminium | Material
Natural Anodize | Finish




PCA-GC29
Clamp

10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-GC30
Clamp

10mm | Glass Thickness
Stainless Steel 304 - 316 | Material
Satin | Finish




PCA-AM01
Ø30mm Anchor Spacer

30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish




PCA-AM02
Ø30mm Anchor Spacer

30 kg | Weight
10mm | Glass Thickness
Stainless Steel 304 | Material
Satin | Finish








PCA-AM03
Ø25mm Anchor Spacer

30 kg | Weight
10mm | Glass Thickness
Zinc Alloy | Material
Satin, Polished | Finish






ALUMINIUM PROFILES


DIMENSIONS (A x B x T)	LENGTH	WEIGHT/bar	PRODUCT CODE	
20x20x1,2	5,8m	0,78 kg	GGL20	EVEN CORNER ALUMINIUM PROFILE 
25x25x1,1	5,8m	0,9 kg	GGL25	
30x30x1,2	5,8m	1,18 kg	GGL30	
40x40x1,2	5,8m	1,57 kg	GGL40	
40x40x3	5,8m	3,85 kg	GGL40.3	
13,8x13,8x1,3	5,8m	0,85 kg	U13.8	U CHANNEL PROFILE 
15,5x20x1,5	5,8m	1,3 kg	U15.5	
20x20x1,3	5,8m	0,202 kg	GG20	
20x30x1,3	5,8m	0,272 kg	GG30	
20x40x1,3	5,8m	0,342 kg	GG40	
22x13x1,2	5,8m	0,92 kg	U22	
25x20x1,6	5,8m	1,66 kg	U25	
27,8x22,2x1,2	5,8m	1,37 kg	U27	
28x18x0,9	5,8m		U28	
39x20x2	3m	1,12 kg	GGV2	
18x8,5x1,1	5,8m	0,47 kg	UA-18	UNEVEN CORNER ALUMINIUM PROFILE 
30x18x1,3	5,8m	1,01 kg	UA-30	
40x20x1,3	5,8m	1,3 kg	UA-40	
20x20x0,9	5,8m	1,15 kg	SHT-20	SQUARE HOLLOW ALUMINIUM PROFILE 
30x30x1,1	5,8m	1,84 kg	SHT-30	
40x40x1,2	5,8m	3,08 kg	SHT-40	
50x50x1,2	5,8m	3,16 kg	SHT-50	
60x60x1,35	5,8m	5,28 kg	SHT-60	
10x3	5,8m	0,45 kg	FB-10	FLAT ALUMINIUM PROFILE 
20x3	5,8m	0,92 kg	FB-20	
25x2	3m	0,1 kg	GGV4	
25x3	5,8m	1,16 kg	FB-25	
30x3	5,8m		FB-30	
40x4	5,8m	2,5 kg	FB-40	
45x2	3m	0,18 kg	GGV3	
30x20x1,2	5,8m	1,93 kg	RHT-30	RECTANGULAR HOLLOW ALUMINIUM PROFILE 
40x20x1	5,8m	1,94 kg	RHT-40	
50x20x1,2	5,8m	2,69 kg	RHT-50x20	
50x30x1,8	5,8m	4,67 kg	RHT-50x30	
60x20x1,5	5,8m	3,81 kg	RHT-60	
80x18x8	5,8m	3,13 kg	RHT-80x18	
80x25x1,2	5,8m	3,4 kg	RHT-80x25	
100x20x1,1	5,8m	4,69 kg	RHT-100	

AVAILABLE FINISHES: SATIN, NATURAL ANODIZE, BLACK ANODIZE





Exporting in more than 50 countries worldwide.



PCA - SHOWROOM IN THESSALONIKI

INDUSTRIAL AREA OF THESSALONIKI bk. 38

SINDOS, 57 022 | GREECE

t: 0030 2310 570727

f: 0030 2310 570726

info@papgroup.gr

pca@papgroup.gr

SHOWROOM IN ATHENS


SOLOMOU 13

PERISTERI-ATTIKI, 12133 | GREECE

t: 0030 210 5757 727

f: 0030 210 5757 727

pca@papgroup.gr





BUILD SMART. BUILD DIFFERENT.

www.papgroup.gr



PCA | Showroom

Thessaloniki Industrial Area
bk. 38 Sindos, 57022 | Greece

t: +30 2310 57 07 27
info@papgroup.gr



Athens | Showroom

Solomou 13
Peristeri - Attiki, 12133 | Greece

t: +30 210 57 57 727
pca@papgroup.gr